

#### STEINER-OPTICS.COM

UNITED STATES
STEINER-OPTIK
331 East 8th Street
Greeley, CO 80631
Tel: 970-356-1670
Toll free: 888-228-7747

Fax: 970-356-8702

CANADA Stoeger Canada Ltd. Unit 1, 1801 Wentworth St. Whitby, v1N 8R6 Tel: 905-436-9077 Toll free: 800-263-1945 Fax: 905-436-9079



Certified to ISO 9001:2008 © 2014 Printed in USA Item No. 910



#### CONTENTS

4 TECHNOLOGY & INNOVATIONS

#### **HUNTING SERIES**

- O NIGHTHUNTER XTREME RIFLESCOPES
- 12 GS3 RIFLESCOPES
- 14 NIGHTHUNTER BINOCULARS
- 18 PREDATOR BINOCULARS

#### NATURE & TRAVEL SERIES

- 22 SAFARI ULTRASHARP BINOCULARS
- 24 CHAMP BINOCULARS

#### MARINE SERIES

- 28 COMMANDER BINOCULARS
- 32 NAVIGATOR BINOCULARS
- 33 MARINE BINOCULARS

#### TACTICAL SERIES

- 36 TACTICAL BINOCULARS
- 38 POLICE BINOCULARS
- 40 MILITARY/MARINE BINOCULARS

#### MILITARY SERIES

- 44 MILITARY TECHNOLOGY
- 48 M5Xi MILITARY SCOPES
- 50 MILITARY LRF BINOCULARS
- 52 MILITARY BINOCULARS

#### SPECS-ACCESSORIES-MISC

- 58 HUNTING RIFLESCOPE SPECS
- 60 BINOCULAR SPECS
- 62 MILITARY RIFLESCOPE SPECS
  RETICLES & SUBTENSIONS
- 64 MILITARY/LAW ENFORCEMENT
  BINOCULAR SPECS, RETICLES & ARDS
- 66 ACCESSORIES
- 67 STEINER HERITAGE™ WARRANTY & CUSTOMER SERVICE





IRAN

# ASSAULTED AND BLASTED

THE ARMORED VEHICLE, SERVING IN IRAQ, WAS HIT WITH AN IED THAT BLASTED AND BURNED EVERYTHING BUT THE MEN INSIDE. THEY GOT OUT SAFELY, BUT MUCH OF THEIR GEAR WAS DESTROYED - EXCEPT FOR THESE STEINER MILITARY BINOCULARS. THEY CAME OUT CHARRED AND MISSHAPEN, ARMOR AND CHASSIS DISFIGURED BY FIRE AND IMPACT - BUT STILL WORKING, LENS AND PRISM SYSTEMS INTACT. THE MEN WERE SUITABLY IMPRESSED, BUT NOT REALLY SURPRISED. STEINER OPTICS ARE WORLD-RENOWNED FOR FEROCIOUS TOUGHNESS. LIKE THOSE WHO USE THEM, THEY MAY TAKE THE OCCASIONAL BEATING. BUT THEY ARE NEVER DEFEATED.

## BUT NEVER DEFEATED.

#### BLASTED AND BURNED IN IRAQ

OVER 72,000 STEINER M22 BINOCULARS HAVE SERVED THE U.S. MILITARY SINCE 1991, MOST STILL IN SERVICE.

# **BUILT FOR ABUSE.**

BATTLE-PROVEN STEINER LENSES AND PRISMS ARE BUILT INTO UNBREAKABLE, RUBBER-ARMORED MAKROLON® POLYCARBONATE BINOCULAR HOUSINGS, AND SEAMLESS, HIGH-STRENGTH ALLOY SCOPE TUBES. THEN PURGED, SEALED AND SHIELDED TO BE FOG-PROOF, WATERPROOF, IMPACT RESISTANT AND IMMUNE TO EXTREMES OF EVERY KIND. NOW, AND FOR LIFETIMES TO COME.




# DESIGNED FOR COMFORT.

BINOCULARS REST COMFORTABLY IN THE PALMS, WITH RUBBERIZED HOUSINGS AND HAND-FRIENDLY RIDGES, CURVES AND PADS FOR INTUITIVE USE. SCOPES HAVE ADJUSTABLE ILLUMINATION, OVERSIZED KNOBS, AND POSITIVE SOUND/FEEL FEEDBACK FOR EASY SETTINGS AND REPEATABLE ACCURACY. EVERY DETAIL IS ERGONOMICALLY PERFECT. BECAUSE THE WORLD NEVER IS.



# CRAFTED TO SEE BETTER, NOT JUST FURTHER.

FOR OVER 65 YEARS, STEINER OPTIK IN BAYREUTH, GERMANY, HAS SET THE BAR IN PREMIUM LONG-RANGE OPTICS. OVER 460 EXACTING STEPS ENSURE RIGOROUS QUALITY THROUGHOUT DESIGN AND MANUFACTURE. RELENTLESS INNOVATION CREATES TECHNOLOGIES LIKE THE  $N_2$  INJECTION<sup>™</sup> SYSTEM, LASER PROTECTION FILTERS, STEINER NANO-PROTECTION® AND DIAMOND NIGHT<sup>™</sup> LENS COATINGS. CONSTANT USER FEEDBACK, FROM BATTLEFIELDS TO BIRDING, KEEPS PERFORMANCE STATE-OF-ART. NO OPTIC WILL SERVE YOU BETTER.



100% IN-HOUSE OF ITCS

Steiner grinds and polishes its own premium lenses and BaK4 prisms, then multi-coats all air-to-glass surfaces with proprietary coatings for unmatched brightness and clarity.



· · · · UNERRING PRECISION · ·

After more than 460 high-precision manufacturing and inspection steps, finished multi-coated lenses are assembled into unbreakable Makrolon® polycarbonate binocular housings.



PERFECT COATINGS

Steiner advanced lens coatings, applied to every air/ glass surface, have evolved to enhance light so your eyes perceive more contrast and brighter detail, even in low light conditions.



ONCE YOU'RE AFTER THAT TROPHY, NOTHING CAN HOLD YOU BACK. SO IN ADDITION TO PROVIDING THE DEADLIEST IMAGE YOU CAN GET, STEINER OPTICS SURVIVE THE WORST CONDITIONS YOU CAN FACE. LOW LIGHT OR HEAVY GLARE, HIGH WATER TO DEEP COLD, ROCK SLAMS AND GRIT STORMS, NO MATTER. THE VIEW IS ALWAYS CRYSTAL CLEAR AND DEAD CERTAIN. EVEN AFTER COUNTLESS MONSTER-OBSESSED PURSUITS, STEINER OPTICS ARE EAGER FOR MORE AND READY TO GO. NOT UNLIKE YOURSELF.

BUT YOUR OPTICS WILL.

NIGHTHUNTER SERIES GS3 SERIES PREDATOR SERIES

HUNTING SERIES



The ultimate dangerous game scope, with true eyes-open 1x magnification for quick, accurate close range shots

TUBE DIAMETER 30MM | LENGTH 11.5 | WEIGHT 20.4 oz | ITEM NO. 6124

NIGHTHUNTER XTREME 1.6-8X42



Gathers maximum light at the low setting, provides greater detail at the high end

TUBE DIAMETER 30MM | LENGTH 13 | WEIGHT 24.0 oz | ITEM NO. 6142

NIGHTHUNTER XTREME 2-10X50



Offers a large field of view at 2x plus high-end power for longer shots. Ideal for tree stand or spot & stalk hunting

TUBE DIAMETER 30MM | LENGTH 13.8 | WEIGHT 25.2 oz

INITIALLY DESIGNED FOR CHALLENGING EUROPEAN NIGHT HUNTING, THE NIGHTHUNTER XTREME NOW GIVES YOU EXCEPTIONAL ALL-CONDITIONS CLARITY NO MATTER WHERE YOU HUNT OR WHAT FORM OF MONSTER YOU SEEK. PROPRIETARY LENS COATINGS, CREATED FOR HARSH CONDITIONS, DELIVER THE BEST LIGHT TRANSMISSION IN THE INDUSTRY FOR SHARP, HIGH-CONTRAST IMAGES EDGE TO EDGE, SO YOU CAN PICK OUT YOUR TROPHY MORE EASILY AND TARGETMORE ACCURATELY. FROM NORTH AMERICA, TO EUROPE, TO AFRICA, STEINER'S PREMIUM PERFORMANCE AND NONSTOP RELIABILITY WILL NOT LET YOU DOWN.

# NIGHTHUNTER XTREME OVERALL FEATURES

- DIAMOND NIGHT™ LENS COATING proprietary formula delivers the industry's best light transmission, for superior clarity and contrast at dusk and dawn and extra minutes of prime hunting time.
- STEINER SMART ILLUMINATION™ provides variable illuminated red dot with memory recall of the last setting, plus battery-saving auto-shut-off.
- STEINER NANO-PROTECTION® hydrophobic molecular coating creates a lens surface so smooth, water sheets off and dirt, dust, snow and fingerprints are repelled for easy cleaning and clear view.
- RUBBER ARMORING on turret caps, diopter and power ring eliminates noise and provides protection in the field.
- **WATERPROOF** to 6 feet seals dry nitrogen into the tubes to lock out fog, rain, snow, water, grit and dust.
- 4A-I RETICLE has three posts and illuminated center red dot for quick, uncluttered target acquisition.

THE ONLY GAME IN TOWN

THE ULTIMATE IN PREMIUM ENGINEERING, CRAFTED FOR HARDCORE HUNTERS
SEEKING SMALL, BIG OR DANGEROUS GAME WHEREVER IT'S FOUND.

FOR ANY GAME YOU'RE AFTER.

3-15X56

NIGHTHUNTER XTREME

Oversize objective for high light transmission and exceptional clarity in low light. Side parallax adjustment increases sharpness and eliminates sighting error.

TUBE DIAMETER 30MM | LENGTH 14.2 | WEIGHT 27.2 oz ITEM NO. 6356



Offers a wide field of view making it easier to find your target

TUBE DIAMETER 30 MM | LENGTH 13.5 | WEIGHT 18.0 oz ITEM NO. 5004

GS3 3-15X50



For low-light performance that mounts on most rifles without extra-high rings

TUBE DIAMETER 30 MM I LENGTH 14.1 I WEIGHT 24.0 oz ITEM NO. 5005

THE NEW STEINER GS3 "GAME SENSING" SCOPE UTILIZES EXCLUSIVE CAT™ COLOR ADJUSTED TRANSMISSION LENS COATINGS TO AMPLIFY CONTRAST IN THE PEAK HUMAN VISION SENSITIVITY RANGE. THE OPTIMIZED CONTRAST EFFECTIVELY SEPARATES GAME FROM LEAFY OR SHADOW-DAPPLED BACKGROUNDS, EXPOSING YOUR TARGET TO A CLEAN, ACCURATE SHOT. AND THE GS3 5X ZOOM RANGE LETS HUNTERS FROM EASTERN WHITETAIL COUNTRY TO WESTERN BIG GAME RANGES PAIR THEIR NEW SCOPE WITH THEIR FAVORITE CENTERFIRE, RIMFIRE, OR MUZZLELOADER RIFLE. AND OR COURSE, STEINER'S BEDROCK RELIABILITY WILL ALWAYS DELIVER UNFAILING PERFORMANCE, WHATEVER FIREARM OR TARGET YOU PREFER.

#### 

- NEW 5X ZOOM RANGE provides sharp resolution at long distances for more accurate shooting in wide-open areas.
- CAT™ COLOR ADJUSTED TRANSMISSION amplifies contrast in the peak human vision sensitivity range, to spot game in any environment.
- STEINER PLEX S1/S7 RETICLES help determine holdover for distance and cascading dots/lines compensate for wind.
- **SHORT MOUNTING LENGTH** of just 5.4 inches for mounting on short actions, muzzleloaders, or lightweight mountain rifles.
- RUGGED 30MM TUBE milled from solid aluminum stock so there are no welds or seams, for greater strength and durability.
- **WATERPROOF/FOGPROOF** durable construction you can trust to stand up to any cold or wet condition.

GS3 3-15X56



Gives varmint and hog hunters sharp images at night and in dim light

TUBE DIAMETER 30 MM | LENGTH 15.0 | WEIGHT 25.1 oz | ITEM NO. 5006

GS3 4-20X50



Versatile enough for big game, prairie dog, or bean field

TUBE DIAMETER 30 MM I LENGTH 16.4 I WEIGHT 28.2 oz ITEM NO. 5007

### **DEADLIER VISION**

GERMAN ENGINEERED, AMERICAN MADE 5X VERSATILITY FOR VIRTUALLY ANY RIFLE, PLUS CAT™ COLOR ADJUSTED TRANSMISSION COATINGS TO PICK OUT PREY FROM ANY ENVIRONMENT.

THAN HUMANLY POSSIBLE.



NIGHTHUNTER XP 10X42

Versatile, compact and easy to carry, perfect for stealthy bow or rifle hunting in a variety of environments

NIGHTHUNTER XP

8X42

MAGNIFICATION 8X | WEIGHT 28.2 oz | WIDTH 4.9 | HEIGHT 6.8 ITEM NO. 5428 The lightest in its class, with brightness to weight performance nothing in its category can match

MAGNIFICATION 10X | WEIGHT 28.2 oz | WIDTH 4.9 | HEIGHT 6.9 ITEM NO. 5421

YOU OFTEN GET YOUR BEST RESULTS AT DAY'S EDGE, WHEN PREY FEELS CAMOUFLAGED BY EARLY SUN OR GROWING DARKNESS. THE LIGHT-ENHANCING DESIGN OF NIGHTHUNTER XP BINOCULARS UNLOCKS THE SHADOWS THEY HIDE IN, GIVING YOU CLEAR GAME-SPOTTING VISION IN DIM LIGHT. IN FULL LIGHT, IT LETS YOU PEER DEEPER INTO DARKENED WOODS, REVEALING SIGN AND QUARRY THAT OTHER HUNTERS MISS. NIGHTHUNTER XP IS ESPECIALLY VALUED BY EASTERN WHITETAIL HUNTERS WHO STILL-HUNT, AND WESTERN ELK HUNTERS WHO COVER LOTS OF GROUND.

#### ······ NIGHTHUNTER XP OVERALL FEATURES ······

- LIGHTWEIGHT ROOF PRISM DESIGN is more compact, easier to pack, carry afield and have ready at all times.
- DI-ELECTRIC MIRRORS transmit more available light for game-finding color fidelity without shifting hues.
- STEINER NANO-PROTECTION® hydrophobic molecular coating creates a lens surface so smooth, water sheets off and dirt, dust, snow and fingerprints are repelled for easy cleaning and clear view.
- CLICLOC® SYSTEM attaches and releases neck strap or harness instantly with push button ease and designed so binoculars hang straight and action-ready.
- OPTIMAL IMAGE AND FIELD OF VIEW versatile magnification and wide view help you spot wildlife at a distance to acquire game faster.
- MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact. Impervious to harsh conditions for generations of trusted use.
- N<sub>2</sub> INJECTION™ SYSTEM seals 14-psi pressurized dry nitrogen into the optic, for fogproof clarity in any condition from artic cold to desert heat.



NIGHTHUNTER XP 10X56

ITEM NO. 5561

NIGHTHUNTER XP 8X56

Larger 56mm objectives result in maximum light transmission for maximum clarity and sharp contrast at dawn and dusk

> MAGNIFICATION 8X | WEIGHT 40.2 oz | WIDTH 5.6 | HEIGHT 8.3 ITEM NO. 5568

Features light-gathering objectives and the magnification to judge points or mass at shooting distance and track game at long range

MAGNIFICATION 10X | WEIGHT 43.2 oz | WIDTH 4.9 | HEIGHT 7.4

OVERCOME DAWN, DUSK AND DISTANCE WITH IMAGES SO SHARP YOU CAN COUNT POINTS AT SUNSET FROM A RIDGE AWAY. FOR BIG GAME, NOT EVEN THE SHADOWS ARE SAFE.

NIGHTHUNTER XP

YOUR BEST FRIEND.



#### NIGHTHUNTER XTREME 8X56 NEW

Features Diamond Night™ Lens Coatings proprietary formula to deliver the industry's best light transmission, for superior clarity and contrast at dusk and dawn and extra minutes of prime hunting time.

> MAGNIFICATION 8X | WEIGHT 38 oz | WIDTH 7.9 | HEIGHT 8.3 ITEM NO. 5919

SOME HUNTERS PREFER A PORRO PRISM BINOCULAR FOR ITS ENHANCED THREE-DIMENSIONAL DEPTH PERCEPTION AND MILITARY-GRADE TOUGHNESS. THESE ARE THEIR OPTICS OF CHOICE. WITH HUGE 336-FOOT FIELD OF VIEW, OUTSTANDING CLARITY, AND SHARP AUTO FOCUS IMAGES FROM 20 YARDS TO INFINITY, YOU CAN PICK YOUR TROPHY OUT OF THE HERD WITH UNEXPECTED EASE. TO ADD FAST, ACCURATE RANGING TO YOUR SKILLS, CHOOSE THE NIGHTHUNTER LRF LASER RANGE FINDER. WITH ONE COMPACT TOOL, YOU CAN VIEW BOTH YOUR TARGET AND ITS DISTANCE QUICKLY AND CLEARLY.

#### NIGHTHUNTER OVERALL FEATURES

- PORRO PRISM DESIGN produces three-dimensional depth perception and massive field of view to quickly locate and accurately evaluate your target.
- SPORTS-AUTO-FOCUS™ SYSTEM lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity - no more chasing focus on moving targets.
- N<sub>2</sub> INJECTION™ SYSTEM seals 14-psi pressurized dry nitrogen into the optic, for fogproof clarity in any condition from artic cold to desert heat.
- COMFORT GRIP SYSTEM Textured rubber armoring and soft TechnoGel® thumb pads reduce hand fatigue over long periods of scouting or viewing. Available on 8x56 only.
- MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact. Impervious to harsh conditions for generations of trusted use.
- WATERPROOF to 16 feet seals dry nitrogen into the tubes to lock out fog, rain, snow, water, grit and dust.
- CLICLOC® SYSTEM attaches and releases neck strap or harness with instant, push-button ease, and keeps binoculars hanging straight and action-ready. Available on 8x56 only.



## NIGHTHUNTER LRF 8X30 NEW

Provides compact, lightweight 3-D viewing, instant laser-accurate ranging to 1,860 yards, Scan Mode to continuously measure moving targets, and legendary Steiner reliability

> MAGNIFICATION 8X | WEIGHT 28 oz | WIDTH 6.5 | HEIGHT 5.7 ITEM NO. 5917



RANGING, ALL IN ONE COMPACT BINOCULAR.

WITH ONE OPTIC.





Light and compact, ideal for mobile hunters who need the versatility of good magnification and wide view

MAGNIFICATION 8X | WEIGHT 9.8 oz | WIDTH 4.1 | HEIGHT 4.4 ITEM NO. 2441



10x power for great long-range detail, perfect for wide-open country and hilly regions with scattered game

MAGNIFICATION 10X | WEIGHT 10.4 oz | WIDTH 4.1 | HEIGHT 4.9 ITEM NO. 2442

THE PREDATOR SERIES WAS MADE FOR HUNTERS WHO DEMAND ALL-AROUND CAPABILITY IN THEIR OPTICS: MOBILITY WITHOUT WEIGHT, EASE OF USE, BRIGHT PICTURE IN ANY LIGHT. WITH ITS LIGHTWEIGHT ROOF PRISM DESIGN, GAME-REVEALING CAT™ COLOR ADJUSTED TRANSMISSION COATINGS AND EXCELLENT LOW-LIGHT PERFORMANCE, THIS IS THE PERFECT CHOICE FOR ANYONE WHO'S AFTER GAME: TURKEY HUNTERS, BOWHUNTERS, BLACK POWDER ENTHUSIASTS, ANYONE WHO HUNTS THE EARLY SEASON OR IN HEAVY COVER WHERE PREY LIKES TO HIDE.

#### PREDATOR OVERALL FEATURES

- CAT™ COLOR ADJUSTED TRANSMISSION amplifies contrast in the peak human vision sensitivity range, to spot game in any environment.
- **OPTIMIZED LIGHT TRANSMISSION** with latest-generation advances in low light performance and brighter images and up to 3-4% better light transmission.
- **LIGHTWEIGHT ROOF PRISM DESIGN** has less bulk to fit into your pack and stay out of the way while hunting.
- FAST-CLOSE-FOCUS™ central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.
- MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact. Impervious to harsh conditions for generations of trusted use.

- N<sub>2</sub> INJECTION™ SYSTEM seals 14-psi pressurized dry nitrogen into the optic, for fogproof clarity in any condition from artic cold to desert heat. Available on 8x42 and 10x42 only.
- CLICLOC® SYSTEM attaches and releases neck strap or harness with instant, push-button ease, and keeps binoculars hanging straight and action-ready.



From close up to far away, this mid-size binocular delivers bright, crisp images without added bulk or weight.

MAGNIFICATION 8X | WEIGHT 26.1 oz | WIDTH 4.9 | HEIGHT 6.9 | ITEM NO. 2443



An all-around favorite. Versatile enough for western big game hunters or eastern whitetail hunters.

MAGNIFICATION 10X | WEIGHT 26.5 oz | WIDTH 4.9 | HEIGHT 6.9 | ITEM NO. 2444

# GERMAN PRECISION MEETS

THE IDEAL COMPANION FOR SKILLED HUNTERS ON THE MOVE:
COMPACT, VERSATILE, TOUGH AS A ROCK AND LIGHT AS A
BREEZE. IT'S THE BEST OF INTENSE GERMAN PRECISION
AND AGILE AMERICAN PERFORMANCE.

AMERICAN AGILITY.

YOU PASS THIS WAY BUT ONCE. MAKE SURE YOU SEE IT CLEARLY: ALL THE COLOR AND CONTRAST, EVERY BREATHTAKING DETAIL, ALL LAID OUT WITH DEPTH AND CLARITY ONLY STEINER'S WORLD-CLASS OPTICAL TECHNOLOGY AND ADVENTURE-LOVING CONSTRUCTION CAN PROVIDE. EVERY HIKE, CRUISE, OUTING AND EVENT HAS ITS OWN UNFORGETTABLE HIGH POINT. MAKE THE MOST OF IT WITH THE BEST COMPANION YOU COULD HAVE ALONG: STEINER NATURE AND TRAVEL BINOCULARS.

OF ONCE IN A LIFETIMES.

# NATURE & TRAVEL SERIES

SAFARI ULTRASHARP SERIES CHAMP SERIES



Provides clear images from 20 yards to infinity without refocusing. Sports-Auto-Focus-Plus™ hybrid system lets you see objects as close as six feet Compact and lightweight, a great optic for beginning birders and naturalists.

> MAGNIFICATION 8X | WEIGHT 21.5 oz | WIDTH 4.7 | HEIGHT 6.5 ITEM NO. 2214



Features porro prism depth of field with the added versatility of the Sports-Auto-Focus-Plus™ hybrid system. With just a short turn of the center focusing wheel you can quickly view objects as close as 6 feet.

> MAGNIFICATION 10X | WEIGHT 21.5 oz | WIDTH 4.7 | HEIGHT 6.5 ITEM NO. 2216

EVERY TRAVELER, SPORTS ENTHUSIAST, AND ACTIVE PARTICIPANT IN ANYTHING NEEDS A GOOD PAIR OF BINOCULARS TO SEE, UNDERSTAND AND ENJOY MORE. THESE ARE THE ONES YOU NEED. LIGHTWEIGHT DESIGN, CONTEMPORARY STYLING, COMFORT AND SIMPLICITY, AND A CHOICE OF POWER AND CAPABILITIES LET YOU PICK THE OPTICS THAT FIT YOU PERFECTLY. STEINER'S WORLD-RENOWNED IMAGE CLARITY, ACCURATE COLOR, LOW-LIGHT CAPABILITY AND FIELD-PROVEN TOUGHNESS ENSURE MAXIMUM PERFORMANCE FROM YOUR OPTICS - AND MORE PLEASURE FROM YOUR PURSUIT OF ADVENTURE.

#### ······ SAFARI ULTRASHARP OVERALL FEATURES ······

- your vision once for razor sharp images from 20 yards to infinity, plus a short turn of the center focusing wheel allows for viewing objects as close as six feet. Available on 8x30 and 10x30 only.
- MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact. Impervious to harsh conditions for generations of trusted use.
- SPORTS-AUTO-FOCUS-PLUS™ hybrid system lets you focus each eyepiece to WATERPROOF/FOGPROOF durable construction you can trust to stand up to any cold or wet condition.
  - ADVANCED UV COATINGS and high-contrast lenses provide exceptional performance around water and outdoor activities.
  - CLICLOC® SYSTEM attaches and releases neck strap or harness with instant, push-button ease, and keeps binoculars hanging straight and action-ready.



SAFARI ULTRASHARP 10X50

Versatile combination of high power and wide field of view, a great choice for your daypack, glove box or birding stand

MAGNIFICATION 10X | WEIGHT 26.4 oz | WIDTH 4.9 | HEIGHT 6.9 ITEM NO. 2218

SAFARI ULTRASHARP

10X42

Combines strong magnification for distance viewing, with oversized objective lenses for brighter images in low light

MAGNIFICATION 10X | WEIGHT 32 oz | WIDTH 5.2 | HEIGHT 7.8 ITEM NO. 2220

#### WHAT YOU WANT TO HAVE

FROM COMPACT TO FULL-SIZE, OPTICS GET YOU CLOSER TO THINGS YOU ENJOY MOST: PHOTO SAFARIS, OCEAN CRUISES, CONCERTS, SPORTS EVENTS, AND MORE. WHEREVER LIFE TAKES YOU, THESE ARE THE PERFECT COMPANIONS.



# SAFARI ULTRASHARP 8X22

A compact sport optic that looks great, fits your pack, pocket or purse, and is your constant companion for quick use

MAGNIFICATION 8X | WEIGHT 10 oz | WIDTH 4.3 | HEIGHT 4.1 | ITEM NO. 2210



10x magnification shows you more detail from farther away, perfect for sports events and wildlife observation

MAGNIFICATION 10X | WEIGHT 10.5 oz | WIDTH 4.6 | HEIGHT 4.7 | ITEM NO. 2212

CHAMP SERIES WAS MADE FOR THOSE WHO DEMAND ALL-AROUND, AFFORDABLE CAPABILITY: COMPACT MOBILITY, SIMPLICITY, SHARP IMAGE. CHAMP BINOCULARS PUTS ALL THAT INTO YOUR PURSE, POCKET OR BRIEFCASE SO THERE'S NO REASON TO MISS ANYTHING. CAMPING TO BACKYARD BIRDING, TOURING TO SPORTS EVENTS, THE ACTION IS RIGHT UP CLOSE. RUBBER ARMORING WITH MOLDED TRACTION BARS PROVIDE A SURE GRIP, AND THE ERGONOMIC EYECUPS KEEP THE VIEW COMFORTABLE.

#### ····· CHAMP OVERALL FEATURES ·····

- **LIGHTWEIGHT ROOF PRISM DESIGN** ensures sharp, crisp images in minimal space, so you can keep your optics anywhere.
- HIGH CONTRAST LENSES provide superior light transmission, accurate color, and clear images edge to edge.
- FAST-CLOSE-FOCUS™ central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.
- RUBBER ARMORING protects chassis and lenses, with ergonomic ridges and pads for secure, comfortable grip.



Provides ample power and wide field of view, with fast-focus ease for both distance viewing and objects as close as 10-feet

MAGNIFICATION 8X | WEIGHT 9.5 oz | WIDTH 4.1 | HEIGHT 4.4 | ITEM NO. 2112



Gets you closer to the action, even from the cheap seats. Ergonomic eyecups keep side glare and wind at bay and molded traction bars provide a steady grip

MAGNIFICATION 10X | WEIGHT 10.5 oz | WIDTH 4.1 | HEIGHT 4.9 | ITEM NO. 2113

# SAFARI ULTRASHARP SERIES

#### COMPACT AND CAPABLE

NOBODY BUT STEINER COULD COMBINE FEATHERLIGHT
WEIGHT, HIGH PERFORMANCE, SMALL SIZE, AND RAZOR-SHARP
IMAGES INTO A SINGLE, WELL-ARMORED TOOL.

IS NO LONGER A CONTRADICTION.

# CHAMP SERIES

### VALUE AND PERFORMANCE

NO OTHER BINOCULAR GETS YOU SO CLOSE, WITH SUCH CLEAR, SHARP DETAIL, FOR SO LITTLE. SOON TO BE YOUR FAVORITE ALL-PURPOSE, GOOD TIME COMPANION

IS ALWAYS THE PROMISE.



COMMANDER SERIES NAVIGATOR SERIES MARINE SERIES

ALL OF IT IS HOME TO STEINER.

THE COMMANDER GLOBAL UPGRADES MARINE-STANDARD 7X MAGNIFICATION AND 50MM OBJECTIVES WITH DIAMOND MARINE™ LENS COATING AND HIGH DEFINITION OPTICS FOR ASTOUNDING CLARITY, PLUS AN INTEGRATED DIGITAL COMPASS WITH ELECTRONIC MAGNETIC FIELD MEASUREMENT AND AUTOMATIC DECLINATION ADJUSTMENT FOR PRECISE READINGS ANYWHERE IN THE WORLD. INTUITIVE TO USE, EASY TO READ, WITH A DISTANCE-TO-OBJECT RETICLE, THE COMMANDER GLOBAL IS THE MOST CAPABLE VIEWING TOOL ON THE WATER.

- DIGITAL WORLDWIDE COMPASS shows precise, easy to read bearings superimposed on the edge of the viewing image, plus a reticle for finding distance to an object.
- SPORTS-AUTO-FOCUS™ SYSTEM lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity - no more chasing focus on moving targets.
- ullet 7X MAGNIFICATION and large 50mm objective produce a wide, stable view and bright, clear
- $\bullet \ \, \textbf{STEINER NANO-PROTECTION} \hbox{$^{\$}$ hydrophobic molecular coating creates a lens surface so smooth,} \\$ water sheets off and dirt, dust, snow and fingerprints are repelled for easy cleaning and clear view.
- MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact. Impervious to harsh conditions for generations of trusted use.
- N<sub>2</sub> INJECTION™ SYSTEM seals 14-psi pressurized dry nitrogen into the optic, providing waterproof protection as deep as 33 feet.
- **DIAMOND MARINE™ LENS COATING** is a unique maritime formula that reduces glare, enhances clarity, and maximizes light transmission for optimized viewing in hazy light and after dark.
- FLOATING NECKSTRAP Comfortably padded, high-visibility strap will keep your Commander afloat and easy to spot in case of accidental spills.
- CLICLOC® SYSTEM attaches and releases neck strap or harness with instant, push-button ease, and keeps binoculars hanging straight and action-ready.



**COMMANDER GLOBAL** 7X50

MAGNIFICATION 7X | WEIGHT 40.5 oz | WIDTH 8.3 | HEIGHT 6.1 ITEM NO. 4961

#### THE WORLDWIDE FLAGSHIP

THE PINNACLE OF CRAFTSMANSHIP AND ULTIMATE BINOCULAR/DIGITAL COMPASS FOR CONFIDENT NAVIGATION ON HIGH SEAS AROUND THE WORLD.

OF MARINE BINOCULARS.



Has all the features of the 7x50 in a compact size, making it ideal for passengers or shore trips, for smaller boats, or for consoles with little space

MAGNIFICATION 7X | WEIGHT 18.2 oz | WIDTH 6.5 | HEIGHT 4.8 ITEM NO. 296



Carries the illuminated, HD stabilized compass and ranging reticle for exceptional viewing and navigation performance in a more compact frame

MAGNIFICATION 7X | WEIGHT 19.6 oz | WIDTH 6.5 | HEIGHT 4.8 ITEM NO. 396

THE MILITARY-GRADE, PORRO PRISM COMMANDER XP SERIES IS THE CHOICE FOR ANYONE WHO MAKES THEIR LIVING ON THE WATER-FISHING GUIDES, SHIP CAPTAINS, TUG BOAT OPERATORS, MARINE PATROL, LAW ENFORCEMENT. AND FOR THOSE WHO LIVE ABOARD OR SPEND WEEKS ON THE WATER -- YACHT OWNERS, BLUE WATER SAILORS, RACERS. THEY HAVE EVERY FEATURE AND ALL THE PERFORMANCE SERIOUS WATERMEN DEMAND, BACKED BY STEINER'S UNRIVALED REPUTATION FOR TOTAL PERFORMANCE ON LAND AND SEA.

#### ······ COMMANDER OVERALL FEATURES ······

- **7X MAGNIFICATION** is the marine standard, with a wide, stable image for tracking other boats, buoys, and bridge numbers even in rough water.
- SPORTS-AUTO-FOCUS™ SYSTEM lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity-no more chasing focus on moving targets.
- **HIGH DEFINITION OPTICS** incorporate the finest index-matched glass and advanced lens coatings for best-in-class image clarity.
- CLICLOC® SYSTEM attaches and releases neck strap or harness with instant, push-button ease, and keeps binoculars hanging straight and action-ready.
- MEMORY OCULAR saves personal diopter settings.

- FLOATING NECKSTRAP comfortably padded, high-visibility strap will keep your Commander afloat and easy to spot in case of accidental spills.
- MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact. Impervious to harsh conditions for generations of trusted use.
- N<sub>2</sub> INJECTION™ SYSTEM seals 14-psi pressurized dry nitrogen into the optic, providing waterproof protection as deep as 33 feet.
- STEINER NANO-PROTECTION® hydrophobic molecular coating creates a lens surface so smooth, water sheets off and dirt, dust, snow and fingerprints are repelled for easy cleaning and clear view.



Delivers top of the line image clarity, sharp edge-to-edge definition and contrast, and high light transmission for navigating in low light or fog

MAGNIFICATION 7X | WEIGHT 37.9 oz | WIDTH 8.1 | HEIGHT 6.2 ITEM NO. 295



Integrates a fluid damped, HD stabilized illuminated compass with ranging reticle into the binoculars, creating one accurate and invaluable viewing/navigation tool

MAGNIFICATION 7X | WEIGHT 40.2 oz | WIDTH 8.1 | HEIGHT 6.2 ITEM NO. 395

# FOR THOSE WHO LIVE ON THE WATER

BUILT TO MILITARY SPEC, DESIGNED FOR THOSE WHO LIVE OR WORK ON THE WATER, RECOGNIZED WORLD-WIDE AS THE FINEST MARINE BINOCULARS AVAILABLE.

THE BEST OPTICS ON EARTH.



The world's first compact marine binocular, perfect for short getaways, spontaneous sailing trips or emergency gear bag

MAGNIFICATION 7X | WEIGHT 18.5 oz | WIDTH 6.5 | HEIGHT 4.2 ITEM NO. 3521



Equipped with an HD stabilized compass in a compact frame, for clear images and reliable headings in an easy-handling size

> MAGNIFICATION 7X | WEIGHT 19.7 oz | WIDTH 6.5 | HEIGHT 4.2 ITEM NO. 3551

THE PORRO PRISM NAVIGATOR SERIES IS THE CHOICE FOR RECREATIONAL BOATERS, WEEKEND ANGLERS AND HOBBY SAILORS. IT OFFERS EXCEPTIONAL PERFORMANCE FOR THE PRICE WITH MANY OF THE FEATURES FOUND ON PREMIUM, WORLD-FAMOUS STEINER MARINE BINOCULARS. ALTHOUGH NOT BUILT TO MILITARY SPECIFICATION, THEY WILL PROVIDE A LIFETIME OF USE FOR MOST WATER ENTHUSIASTS.

#### NAVIGATOR OVERALL FEATURES

- 7X MAGNIFICATION is perfect for on-water use, with a wide, stable image for tracking boats, buoys and bridge numbers even in rough water.
- HIGH CONTRAST OPTICS provide bright, sharply contoured images with natural color definition for outstanding viewing quality suitable for both beginners and professionals.
- FLOATING PRISM SYSTEM uses a flexible silicon lens mount to absorb severe shock, impact and abuse without damage.
- SPORTS-AUTO-FOCUS™ SYSTEM lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity no more chasing focus on moving targets.
- MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact. Impervious to harsh conditions for generations of trusted use.
- N<sub>2</sub> INJECTION™ SYSTEM seals 14-psi pressurized dry nitrogen into the optic, providing waterproof protection as deep as 6 feet.



Delivers excellent image clarity, sharp definition and contrast, and oversized light-gathering objective for bright picture in low light

> MAGNIFICATION 7X | WEIGHT 36.3 oz | WIDTH 8.1 | HEIGHT 5.5 ITEM NO. 3531



Carries an HD fluid-damped, illuminated analog compass for easy-to-read navigation

MAGNIFICATION 7X | WEIGHT 39.6 oz | WIDTH 8.1 | HEIGHT 5.5 ITEM NO. 3541

### **NEVER COMPROMISE PERFORMANCE**

SERIOUS OPTICS FOR THOSE WHO TAKE RECREATIONAL TIME ON THE WATER SERIOUSLY, WITH THE CLEAR IMAGE, TOTAL RELIABILITY AND REMARKABLE VALUE STEINER MARINE OPTICS ARE KNOWN FOR.

JUST BECAUSE IT'S FUN.





ITEM NO. 575

MARINE THE PERFECT FIRST PAIR OF QUALITY, WATER-GOING BINOCULARS, FOR ENTHUSIASTS WHO WANT THE MOST PERFORMANCE FOR THEIR MONEY.

- 7X MAGNIFICATION
- HIGH CONTRAST LENSES
- FLOATING PRISM SYSTEM • SPORTS-AUTO-FOCUS™
- MAGNIFICATION 7X | WEIGHT 36.3 oz | WIDTH 8.1 | HEIGHT 5.5 . WATERPROOF AND RUBBER ARMORED

MARINE SERIES 33



# THERE ARE SITUATIONS WHERE

FACING A DETERMINED, POSSIBLY DEADLY ADVERSARY. PATROLLING A LONG BORDER, A DARK STREET, A COASTLINE. KEEPING A NEIGHBORHOOD SAFE. THERE ARE TIMES AND PLACES WHERE ONLY THE SHARPEST, TOUGHEST, MOST RELIABLE OPTICS WILL DO. BECAUSE ONE BLURRY IMAGE, ONE COSTLY MISTAKE, COULD BE A DISASTER - AND ONE BRIGHT, CLEAR VIEW COULD GIVE YOU A LIFE-CHANGING ADVANTAGE. THESE ELITE MISSION-WORTHY OPTICS WILL GIVE YOU THAT EDGE.

THERE ARE NO EXCUSES.

TACTICAL SERIES POLICE SERIES MILITARY/MARINE SERIES



Just 12.6 ounces and incredibly compact, with 8x magnification and wide field of view. Perfect for the gear bag

MAGNIFICATION 8X | WEIGHT 12.6 oz | WIDTH 4.8 | HEIGHT 4.2



10x magnification for more power and performance without sacrificing weight or adding bulk to your field gear

MAGNIFICATION 10X | WEIGHT 12.7 oz | WIDTH 5.1 | HEIGHT 4.6 ITEM NO. 6504

STEINER'S REPUTATION FOR COMBAT-WORTHY PERFORMANCE, TOUGHNESS AND DEPENDABILITY WAS EARNED THE HARD WAY: IN BATTLEFIELD AND TAC OPS SITUATIONS AROUND THE WORLD. THESE TACTICAL BINOCULARS REFLECT HARD-WON EXPERIENCE WITH FEATURES, ERGONOMICS AND VISUAL EXCELLENCE THAT ARE UNSURPASSED ANYWHERE, AND RUGGED RELIABILITY THAT CAN SURVIVE ANYTHING. WHETHER YOU NEED A POCKET-SIZED COMPACT FOR YOUR GEAR BAG OR A FULL-SIZED MODEL TO SPOT FOR YOUR SHOOTER, THE TACTICAL SERIES WILL SERVE YOU WELL.

#### TACTICAL OVERALL FEATURES

- ROOF PRISM DESIGN is extremely light weight, compact and streamlined,
- HIGH DEFINITION OPTICS are specially coated for the highest light transmission, sharp edge-to-edge views and contrast, even in low light.
- N<sub>2</sub> INJECTION™ SYSTEM seals 14-psi pressurized dry nitrogen into the optic, providing waterproof protection as deep as 6 feet.

easy to pack, carry, hold and use.

- FAST-CLOSE-FOCUS™ central focusing wheel requires minimal rotation for quick absolute sharpness from close-up to infinity.
- MILITARY GRADE RUBBER ARMORING protects chassis and lenses,
- reduces noise and provides a sure grip in all conditions.
- CLICLOC® SYSTEM attaches and releases neck strap or harness with instant, push-button ease, and keeps binoculars hanging straight and action-ready.



10x power and bright image perfect for sniper/spotters, border surveillance, patrol car optics, and tactical ops day and night

T42 TACTICAL

10X42

MAGNIFICATION 10X | WEIGHT 26.4 oz | WIDTH 4.9 | HEIGHT 6.6 ITEM NO. 6506



Features the SUMR targeting reticle system, for a small, light binocular in a power to match newer 10x rifle scopes

> MAGNIFICATION 10X | WEIGHT 26.7 oz | WIDTH 4.9 | HEIGHT 6.6 ITEM NO. 6508

# THE FINEST, PROUDLY SERVING

ELITE PERSONNEL DESERVE THE FINEST OPTICS AVAILABLE. HERE THEY ARE: UNFAILINGLY RELIABLE TACTICAL BINOCULARS FIELD-PROVEN TO DELIVER SUPERBLY BRIGHT, ACCURATE IMAGES IN ANY SITUATION. WHEN LIVES ARE ON THE LINE, THESE ARE ON THE SCENE.

THE BEST.



# P750 POLICE 7X50

7x power and large objectives provide low-light image clarity and stable, comfortable view for extended surveillance

MAGNIFICATION 7X | WEIGHT 36.5 oz | WIDTH 8.2 | HEIGHT 5.5 | ITEM NO. 646

DESIGNED FOR LAW ENFORCEMENT, THE POLICE SERIES DELIVERS BRIGHT, THREE-DIMENSIONAL IMAGES, SHARP RESOLUTION, AND WIDE FIELD OF VIEW TO ENSURE FAST IMAGE CAPTURE, HIGH DETAIL, AND ACCURATE APPRAISAL OF YOUR TARGET IN ANY SITUATION. LOW LIGHT TO FULL SUN, EXTENDED SURVEILLANCE TO SUDDEN ACTION, THE POLICE SERIES GIVES YOU THE ADVANTAGE OF OPTICS THAT UNDERSTAND EXACTLY WHAT YOU'RE LOOKING FOR.

#### POLICE SERIES OVERALL FEATURES

- FLOATING PRISM SYSTEM uses a flexible silicon lens mount to absorb severe shock, impact and abuse without damage.
- MULTICOATED LENSES optimize light transmission for superb performance in low light or hazy conditions.
- WATERPROOF/FOGPROOF durable construction you can trust to stand up to any cold or wet condition.
- SPORTS-AUTO-FOCUS™ SYSTEM lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity no more chasing focus on moving targets.
- MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact. Impervious to harsh conditions for generations of trusted use.



## P1050 POLICE 10X50

More magnification means greater detail and longer range, for suspect or situation evaluation from a safe distance

MAGNIFICATION 10X | WEIGHT 36.5 oz | WIDTH 8.2 | HEIGHT 4.9 ITEM NO. 648

# DETECT AND OBSERVE.

THESE ARE THE GO-TO OPTICS FOR LAW ENFORCEMENT, PRISON SECURITY, CUSTOMS AND BORDER PROTECTION AGENCIES THAT REQUIRE 3D IMAGES FOR TARGET EVALUATION, BRIGHT PICTURE IN LOW LIGHT, AND FAILSAFE RELIABILITY EVERY TIME.

THEN PROTECT AND SERVE.



# MM30 MILITARY / MARINE 8X30

Light and easy to handle, with for bright images and a wide field of view for steady viewing, even on the move

> MAGNIFICATION 8X | WEIGHT 17.1 oz | WIDTH 6.7 | HEIGHT 4.2 ITEM NO. 280

THE TRAITS THAT EARN STEINER BINOCULARS SUCH RESPECT IN COMBAT-INCREDIBLE TOUGHNESS, EXCEPTIONAL CLARITY AND RELIABLE OPTICAL PERFORMANCE - ARE FOUND IN THESE CIVILIAN MODELS AS WELL. AND, THEY FEATURE STEINER'S SPORTS-AUTO-FOCUS™ SYSTEM FOR CRISP, SHARP IMAGES NEAR AND FAR WITHOUT CONSTANT ADJUSTMENT. JUST SET THE FOCUS TO YOUR EYES ONCE, AND YOU'LL HAVE A CONSTANT, CLEAR VIEW OF OBJECTS FROM 20 YARDS TO INFINITY.

#### ..... MILITARY / MARINE OVERALL FEATURES

- FLOATING PRISM SYSTEM uses a flexible silicon lens mount to absorb severe shock, impact and abuse without damage.
- **COMPACT DESIGN** is comfortable to carry, fits neatly into your pack, shifts balance into the palms for comfortable long-time observation.
- **SPORTS-AUTO-FOCUS™ SYSTEM** lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity no more chasing focus on moving targets.
- MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 11 Gs of impact. Impervious to harsh conditions for generations of trusted use.



#### MM50 MILITARY / MARINE 10X50

Higher magnification and larger objectives are ideal for open terrain and hilly country, and for spotting game in low-light conditions

MAGNIFICATION 10X | WEIGHT 35.3 oz | WIDTH 8.1 | HEIGHT 5.0 | ITEM NO. 210

# MILITARY/MARINE SERIES

# PROVEN ON THE BATTLEFIELD.

THE CIVILIAN VERSION OF PROVEN MILITARY BINOCULARS,
ADAPTED FOR RUGGED ALL-AROUND USE. AS SHARP, CLEAR AND
BATTLE-WORTHY AS THE WARRIOR MODELS THEY'RE BASED ON.

PERFECT FOR EVERYTHING ELSE.



# TRUST. LEADERSHIP. VICTORY.

THE ABILITY TO SEE WHAT OTHERS DON'T. THAT'S WHAT STEINER BRINGS TO YOUR SIDE: RAZOR-EDGE IMAGE CLARITY, OPTIMUM DEPTH AND COLOR, SUPERIOR ABILITY TO PROBE, PLAN AND ENGAGE WITH FORCE-MULTIPLYING STEALTH, SURPRISE AND IMPACT. AFTER 67 YEARS OF DEPLOYMENT AND CONSTANT IMPROVEMENT, NO OPTIC SERVES YOUR MISSION AND YOUR TROOPS BETTER.

ALL BEGIN WITH VISION.

M5Xi SERIES LRF SERIES MILITARY BINOCULAR SERIES

# MILITARY SERIES


# PORRO PRISM RUGGED.

STEINER PORRO PRISM BINOCULARS ARE EXTREMELY TOUGH AND DEPENDABLE, IDEAL FOR MILITARY AND TACTICAL APPLICATIONS. THE PORRO SYSTEM CREATES A REALISTIC THREE-DIMENSIONAL IMAGE, WITH MAXIMUM DEPTH OF FIELD, FOR ACCURATE EVALUATION AND TARGETING. EVEN AT EXTREMELY LONG DISTANCES, THE USER CAN CLEARLY SEE WHETHER ONE OBJECT IS BEHIND OR IN FRONT OF ANOTHER. WITH EXCEPTIONAL LIGHT TRANSMISSION, THE PORRO SYSTEM ALSO PROVIDES ENHANCED CLARITY IN CHALLENGING LOW-LIGHT SITUATIONS.

STEINER RELIABLE.

# **WORLD-CLASS COMBAT** PROVEN COATINGS.

ALL AIR-TO-GLASS SURFACES OF STEINER BINOCULARS AND SCOPES ARE MULTI-COATED WITH PROPRIETARY, CUTTING-EDGE FORMULATIONS OF MINERALS AND RARE EARTH COMPOUNDS THAT MAXIMIZE CLARITY, COLOR AND DEFINITION. AS THE ONLY BRAND THAT HAS DEVELOPED OPTICS SPECIFICALLY FOR MILITARY SERVICE, STEINER IS COMMITTED TO GIVING YOU EVERY POSSIBLE EDGE.




# MORE LIGHT, BETTER IMAGE.

The more light through the lenses, the sharper the imagecritically important in low-light military situations. Steiner's advanced optics dramatically enhance light transmission, for exceptional clarity in the most challenging conditions. 100% in-house optical capability ensures absolutely consistent, premium lenses and prisms, with world-leading coatings for bright, high-contrast binocular or rifle scope images. Steiner scopes add features like front focal plane and mission-specific, glass-etched illuminated reticles for



# BUILT FOR ANYTHING. ANYWHERE. ANYTIME.

STEINER MIL-SPEC BINOCULARS AND SCOPES ARE DESIGNED FOR TRUE BATTLEFIELD CONDITIONS. RUGGED LENS CONSTRUCTION ENSURES STABILITY EVEN UNDER SEVERE SHOCK AND VIBRATION. UNBREAKABLE MAKROLON® BINOCULAR HOUSINGS WITH-STAND OILS, SOLVENTS, HEAT, COLD, SUN AND SALTWATER. ONE-PIECE NITROGEN PRESSURIZED 34MM SCOPE TUBES ARE SHOCKPROOF TO 900 GS. ALL OPTICS ARE FOG-PROOF AND WATERPROOF, SEALED AGAINST DUST, DIRT AND MOISTURE. ALL ARE IMMERSION WATERPROOF, SOME TO DEPTHS OF 33 FEET. DESIGNED WITH SPECIAL FORCES AND EXPERT WEAPONRY INPUT, BUILT TO STRICT MILSPEC DEMANDS, STEINER OPTICS EXCEED THE NEED.



# FOG PROOF WATERPROOF N<sub>2</sub> INJECTION™ SYSTEM.

Steiner's proprietary N<sub>2</sub> Injection™ System pressurizes optics with nitrogen and trace helium. If seals are not absolutely tight, hyperbaric testing reveals escaped helium molecules, the optics are disassembled, and the process is repeated. Fail-safe testing with medical-grade tools ensures absolute quality, positive internal pressure, and zero fogging and water intrusion despite drastic changes, severe conditions, and lifetimes of use.



### ADVANCED LASER PROTECTION.

Steiner was the first to offer binoculars with laser protection filters. Since our initial research and development, we have gained industry-leading experience and knowledge in this technology, which benefits all military customers. All our military binoculars can be supplied with laser filter protection, either standard filter (OD 4 / 1064 nm) or one meeting the specific user requirements.



# ALL TEMPERATURE PERFORMANCE.

Steiner Military binoculars are temperature hardened, impact armored and combatready for any theater in the world. Built for operating conditions from -40° to +176° F., they will deliver consistently sharp, clear, fog-free images, from arctic snowfields to desert heat, jungle valleys to mountain peaks. No matter where your duty sends you, no binocular will serve you better.





Close combat scope with 30mm tube, Rapid Dot reticle calibrated in 7.62 or 5.56, true 1x eyes-open capability for situational awareness, and 5x power to engage distant targets

TUBE DIAMETER 30MM | LENGTH 11.6 | BATTERY CR2450 | ITEM NO. 5571 (5.56) | ITEM NO. 5570 (7.62)



Medium range scope with 34mm tube, etched glass G2B Mil-Dot or MSR reticle, patented DuoScale™ elevation adjustment with a second-rotation scale that's hidden when inactive

TUBE DIAMETER 34MM I LENGTH 14.2 I BATTERY CR2450 ITEM NO. 5572 (G2B MIL DOT) I ITEM NO. 5573 (MSR)

M5Xi MILITARY 5-25X56

Long range scope with 34mm tube, true 25x magnification, etched glass G2B Mil-Dot or MSR reticle, DuoScale  $^{\text{TM}}$  elevation with second-rotation scale that's hidden when inactive

TUBE DIAMETER 34MM | LENGTH 16.6 | BATTERY CR2450 ITEM NO. 5525 (G2B MIL DOT) | ITEM NO. 5550 (MSR) THE 5-25X IS THE ULTIMATE SNIPER SCOPE FOR LONG-RANGE PLATFORMS AND LARGE CALIBERS. HIGH POWER AND EQUIVALENT ELEVATION TRAVEL EXTEND YOUR RANGE BEYOND 1,500 METERS, WITH OUTSTANDING VISIBILITY EVEN IN LOWEST LIGHT. THE 3-15X IS FOR MID-RANGE SHOOTING, IDEAL FOR SNIPERS USING THE M110 PLATFORM OR COMPETITION SHOOTERS WITH PRECISION BOLT GUNS. THE 1-5X IS FOR MARKSMEN RIFLES, PATROL RIFLES AND AR/M4 PLATFORMS, WITH TRUE EYES-OPEN 1X MAGNIFICATION, AND 5X ZOOM TO LOCATE TARGETS AT LONGER DISTANCES. DIFFERENT SCOPES, SAME OUTCOME: VICTORY.

# M5Xi SERIES ..... OVERALL FEATURES .....

- ONE PIECE OVERSIZED 34MM TUBES increases strength and reliability, and provides greater elevation and windage adjustment for long ranges.
- **5X ZOOM** provides maximum range at the high end, wider field of view at the low end, and eliminates any tunneling effect.
- **BROADBAND ANTI-REFLECTION COATINGS** for 90% + light transmission to ensure optimal performance in low light.
- OPTIMIZED EXTERIOR DESIGN with larger, positive grip elevation, windage, parallax and illumination knobs and nonslip diopter and magnification adjustment.
- ILLUMINATED RETICLE with 7 night, 4 day levels with 2 off- positions at each end, and quick standby levels between each for fast return to setting.
- OPTIMIZED TUBE AND KNOB CONFIGURATION for more mounting options and optimum performance with different rifles and added equipment.
- PRECISE WINDAGE/ELEVATION ADJUSTMENT is easy and accurate for repeatable accuracy, with tactile click-by-click feedback you can hear and feel.
- WATERPROOF/FOGPROOF durable construction you can trust to stand up to any cold or wet condition. Waterproof to depths of 33 feet.
- **SHOCKPROOF** and rugged enough to withstand impact testing to 900 G's on all optical and electronic components.

### BUILT IN GERMANY.

THE GERMAN-MADE M5XI SERIES FEATURES WORLD-CLASS ENGINEERING AND OPTICAL SYSTEMS, BUILT TO STRICT MILITARY SPECS AND PRECISELY CRAFTED FOR VICTORY - ON THE BATTLEFIELD, OR IN COMPETITION.

DESIGNED FOR VICTORY.



# M30r LRF MILITARY 8X30r LRF

Perfect for mobile troops who travel light. Lenses and prisms are combined with state-of-the-art coatings to provide bright, crisp images at any range. Ranges can be set to meters or yards

> MAGNIFICATION 8X | WEIGHT 26.5 oz | WIDTH 6.7 | HEIGHT 4.5 ITEM NO. 5915

THIS COMPACT, POWERFUL LASER RANGEFINDER IS UNIVERSALLY SUITED FOR ALL MILITARY SERVICES AND TACTICAL UNITS. IT'S THE PERFECT COMBINATION OF PREMIUM OPTICS WITH A POWERFUL CLASS 1/EYE SAFE LASER FOR DETERMINING RANGE TO TARGETS, PLUS A SUMR RETICLE FOR TARGETING REDUNDANCY IN CASE OF BATTERY FAILURE OR OUT-OF-RANGE TARGET. NO OTHER BINO/RANGEFINDER COMBO WILL DELIVER THE IMAGE AND RANGING ACCURACY AND RELIABILITY OF THESE MILITARY VETERANS.

#### ·················· LASER RANGE FINDERS SERIES OVERALL FEATURES

- FLOATING PRISM SYSTEM uses a flexible silicon lens mount to absorb severe shock, impact and abuse without damage.
- **ERGONOMIC DESIGN** shifts the center of gravity into the palms for comfortable long-time observation, and the round-shoulder shape won't hang up on hatches and doors in urgent situations.
- for fogproof clarity in any condition from artic cold to desert heat.
- SPORTS-AUTO-FOCUS™ SYSTEM lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity - no more chasing focus on moving targets.
- NBR RUBBER ARMORING is durable, slip-proof and noiseless to ensure a secure, chassis-protecting grip in all conditions.
- N2 INJECTION™ SYSTEM seals 14-psi pressurized dry nitrogen into the optic, MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 40 Gs of impact. Impervious to harsh conditions for generations of trusted use.



#### M50 LRF MILITARY 10X50 LRF

Features a wide measurement range from 27 yards to over 1,860 yards on reflective targets, plus scan mode to measure small or moving targets

MAGNIFICATION 10X | WEIGHT 44.8 oz | WIDTH 8.1 | HEIGHT 5.4 ITEM NO. 398

# MILITARY LRF SERIES

## TARGET CLARITY AND RANGE

THE COMBINATION OF STATE-OF-THE-ART OPTICS, LEGENDARY STEINER RELIABILITY, AND SPOT-ON LASER RANGING CAN MAKE A CRITICAL DIFFERENCE IN SITUATIONS WHERE ACCURACY MEANS EVERYTHING.

FOR THE EDGE IN ANY ENCOUNTER.



# M30 MILITARY 8X30

Light and easy to handle, with high definition lenses for bright images and a wide field of view for steady viewing, even on moving vehicles

MAGNIFICATION 8X | WEIGHT 18.7 oz | WIDTH 6.7 | HEIGHT 4.2 ITEM NO. 480

STEINER'S MILITARY 8X30 IS THE STANDARD BINOCULAR OF MANY ARMIES IN THE WORLD. THEY ARE BUILT TO STRINGENT MILITARY SPECIFICATIONS, RUGGEDLY DESIGNED FOR THE FIERCEST CONFLICTS AND TOUGHEST ENVIRONMENTS, AND HAVE EARNED A REPUTATION FOR PERFORMANCE AND DURABILITY IN COUNTLESS TACTICAL APPLICATIONS UNDER EXTREME CONDITIONS. NO BINOCULAR HAS PROVEN ITS WORTH TO SO MANY TROOPS IN SO MANY SITUATIONS. YOU, YOUR MEN, AND YOUR MISSION DESERVE NOTHING LESS.

#### 8X30 SERIES OVERALL FEATURES

- FLOATING PRISM SYSTEM uses a flexible silicon lens mount to absorb severe shock, impact and abuse without damage.
- **COMPACT DESIGN** Shifts the center of gravity into the palms for comfortable long-time observation, and the round shoulders won't hang up on the hatches of armored vehicles and tanks.
- SPORTS-AUTO-FOCUS™ SYSTEM lets you focus each eyepiece to your vision once, then keeps images razor-sharp from 20 yards to infinity - no more chasing focus on moving targets.
- MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 40 Gs of impact. Impervious to harsh conditions for generations of trusted use.
- N<sub>2</sub> INJECTION™ SYSTEM seals 14-psi pressurized dry nitrogen into the optic, for fogproof clarity in any condition from artic cold to desert heat.
- WATERPROOF to 16 feet pressurized nitrogen-filled tubes resist water intrusion even when submerged.



#### M30r MILITARY 8X30r

Identical to the 8x30 but adds a precision mil radian ranging reticle

MAGNIFICATION 8X | WEIGHT 18.7 oz | WIDTH 6.7 | HEIGHT 4.2 | ITEM NO. 481

### STANDARD ISSUE BECAUSE

COMPACT AND LIGHTWEIGHT, THE 8X30 SERIES EASILY FITS IN A POCKET OR PACK. FULLY MULTI-COATED, THEIR BRILLIANT OPTICS DELIVER EXCELLENT PERFORMANCE DAY OR NIGHT.

IF YOU'RE CONSTANTLY ON THE MOVE, THEY ARE THE PERFECT RUGGED AND READY CHOICE.

OF EXTRAORDINARY PERFORMANCE.



Offers exceptionally bright images in all light conditions, especially useful for nighttime ops. Crisp resolution and a wide field of view help you locate and identify targets faster and more accurately

> MAGNIFICATION 7X | WEIGHT 36.9 oz | WIDTH 8.1 | HEIGHT 5.5 ALSO AVAILABLE: 7X50 MILITARY R LPF GEN I • GEN II • GEN III (LPF models for military/government sales only) ITEM NO. 538



Integrates bright image, illuminated HD stabilized compass, and range finding reticle, giving you the ability to accurately identify targets and determine bearings and distance to the single degree

> MAGNIFICATION 7X | WEIGHT 39.7 oz | WIDTH 8.1 | HEIGHT 5.5 ITEM NO. 383

WHEN TACTICAL OPERATIONS TAKE PLACE IN CHALLENGING CONDITIONS - AND THEY ALWAYS DO - THESE ARE THE OPTICS TO COUNT ON. PROVEN ON MISSIONS FROM EXTREME DARKNESS TO HIGH-ALTITUDE SUN, ARCTIC COLD TO DESERT HEAT, THEY GIVE YOU EXACTLY THE OPTICAL CAPABILITIES YOU NEED: MID-90% LIGHT TRANSMISSION, IMAGE CLARITY FROM EDGE TO EDGE, BELLY-CRAWLING TOUGHNESS, EVEN INTEGRATED COMPASS, RANGE-FINDING OR CUSTOM RETICLES, AND LASER PROTECTION IF DESIRED. WHEN YOUR MISSION DEMANDS OPTICAL SUPERIORITY, NOW YOU HAVE IT.

#### ..... 50MM SERIES OVERALL FEATURES

- FLOATING PRISM SYSTEM uses a flexible silicon lens mount to absorb severe shock, impact and abuse without damage.
- MULTI-COATED OPTICS are state of the art for brighter picture, higher contrast and sharply contoured images with natural color definition.
- SPORTS-AUTO-FOCUS™ SYSTEM lets you focus each eyepiece to your vision MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber once, then keeps images razor-sharp from 20 yards to infinity - no more chasing focus on moving targets.
- N<sub>2</sub> INJECTION™ SYSTEM seals 14-psi pressurized dry nitrogen into the optic, for fogproof clarity in any condition from artic cold to desert heat.
- CYLINDRICAL EYECUPS shield the eyes from sun, grit and wind, and can be folded down for viewing with sunglasses or gas masks.
- NBR RUBBER ARMORING is durable, slip-proof and noiseless to ensure a secure, chassis-protecting grip in all conditions.
- armoring, creating a lightweight, rugged chassis that withstands 40 Gs of impact. Impervious to harsh conditions for generations of trusted use.
- RANGING RETICLE a versatile ranging reticle found on "r" models that be used to judge both the height and distance to a target.



M50rc LPF **COMMANDER MILITARY** 7X50rc LPF

Ideal for open terrain and mountainous or hilly country. Equipped with a mil ranging reticle, this warrior saw heavy use in the middle east

M50r MILITARY

10X50r

MAGNIFICATION 10X | WEIGHT 35.3 oz | WIDTH 8.1 | HEIGHT 5.0

Identical to the 7x50c, with the addition of standard OD4/1064nm laser protection or custom filter. Authorized military and security customers only.

> MAGNIFICATION 7X | WEIGHT 36.9 oz | WIDTH 8.1 | HEIGHT 5.5 ITEM NO. 539

## ELITE UNITS WORLDWIDE RELY ON THEM.

BUILT WITH MILITARY GRADE PRECISION AND OPTICAL QUALITY, PROVEN IN EVERY THEATER, THESE ARE THE BINOCULARS YOU WANT WITH YOU WHEN VISUAL SUPERIORITY IS MISSION-CRITICAL.

SO CAN YOU.

Laser Protection Filter models for Military/Government sales only.





M80 MILITARY 15X80

High magnification and large, extremely precise lenses to observe objects several kilometers away with astounding detail, even in low light

MAGNIFICATION 15X I WEIGHT 68.1 oz I WIDTH 8.9 I HEIGHT 11.6 ITEM NO. 415



Integrates a large, illuminated HD stabilized compass for accurate bearings, fluid damped to eliminate degree variance while underway in a vehicle or ship

MAGNIFICATION 15X | WEIGHT 69.3 oz | WIDTH 8.9 | HEIGHT 11.6



All the features of the 15x80 with even higher magnification for greater range without sacrificing the field of view. Excellent for border observation, airports and airspace monitoring

MAGNIFICATION 20X | WEIGHT 68.1 oz | WIDTH 8.9 | HEIGHT 11.6 | ITEM NO. 420

FOR VISUAL EFFICIENCY, EXTENDED-VIEWING COMFORT AND OBJECT DETAIL, TRADITIONAL SPOTTING SCOPES CAN'T COMPARE TO THESE HIGH-POWER BINOCULARS. ORIGINALLY DEVELOPED FOR PERIMETER AND BORDER PATROL APPLICATIONS, THEY NOW SERVE MILITARY AND LAW ENFORCEMENT AGENCIES AROUND THE WORLD. THE MASSIVE 80MM OBJECTIVE LENSES AND UNMATCHED STEINER QUALITY DELIVER FAR SUPERIOR LOW-LIGHT PERFORMANCE AND IMAGE ACUITY FOR ARTILLERY TEAMS, SEAL MISSIONS, SURVEILLANCE MISSIONS, AIR TRAFFIC CONTROLLERS, FOREST FIGHTERS AND NAVAL PATROLS.

# MILITARY SERIES ..... OVERALL FEATURES

- FLOATING PRISM SYSTEM uses a flexible silicon lens mount to absorb severe shock, impact and abuse without damage.
- MULTI-COATED OPTICS are state of the art for brighter picture, higher contrast and sharply contoured images with natural color definition.
- **SPORTS-AUTO-FOCUS™ SYSTEM** focuses each eyepiece to your vision so images stay razor-sharp from nearby to infinity, with better 3-dimensional object separation than any spotting scope.
- MAKROLON® HOUSING is durable polycarbonate with NBR Long Life rubber armoring, creating a lightweight, rugged chassis that withstands 40 Gs of impact. Impervious to harsh conditions for generations of trusted use.
- N<sub>2</sub> INJECTION™ SYSTEM seals 14-psi pressurized dry nitrogen into the optic, for fogproof clarity in any condition from artic cold to desert heat.
- **WATERPROOF** to 16 feet pressurized nitrogen-filled tubes resist water intrusion even when submerged.
- **TRIPOD MOUNT** is included for perfect image stability for long-term observation.



### **EXTREME DISTANCE**

THESE EXTREMELY POWERFUL, EXCEPTIONALLY BRIGHT OPTICS REPLACE THE EYE STRAIN AND FATIGUE OF SPOTTING SCOPES WITH MORE ACCURATE, THREE-DIMENSIONAL IMAGES FOR PRECISE OBSERVATION AT LONG RANGE.


IS NO LONGER AN ADVERSARY.


TEINER-OPTIK 201

# HUNTING SCOPE SPECIFICATIONS

	Nighthunter Xtreme 1-5x24	Nighthunter Xtreme 1.6-8x42	Nighthunter Xtreme 2-10x50	Nighthunter Xtreme 3-15x-56	GS3 2-10x42	GS3 3-15x50	GS3 3-15x56	GS3 4-20x50
ITEM NUMBER	6124	6142	6250	6356	5004	5005	5006	5007
MAGNIFICATION	1-5x	1.6-8x	2-10x	3-15x	2x-10x	3x-15x	3x-15x	4x-20x
OBJECTIVE LENS DIAMETER	24 mm	42 mm	50 mm	56 mm	42 mm	56 mm	50 mm	50 mm
TUBE DIAMETER	30 mm	30 mm	30 mm	30 mm	30 mm	30 mm	30 mm	30 mm
FOCAL PLANE	2nd	2nd	2nd	2nd	2nd	2nd	2nd	2nd
FIELD OF VIEW @ 100 YDS. (FT.) LOW/HIGH	108.0 - 21.5	65.0 - 13.3	52.0 - 10.5	36.0 - 7.5	52 / 10.5	36 / 7.5	36 / 7.5	25.8 / 5.5
EYE RELIEF (MM) LOW/HIGH	90	90	90	90	3.5 - 4.25	3.5 - 4.25	3.5 - 4.25	3.5 - 4.25
EXIT PUPIL (MM) LOW/HIGH	11.5 - 4.8	10.4 - 3.7	11.6 - 5.0	10.4 -3.7	16.8 - 4.2	18.7 - 4.7	12.5 - 3.1	11 - 2.5
LENGTH (IN)	11.5	13	13.8	14.2	13.5	14.1	15	16.4
WEIGHT (OZ.)	20.4	24.0	25.2	27.2	18	24	25.1	28.2
DIOPTER ADJUSTMENT RANGE	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3	+2 to -3
RETICLE	4Ai Iluminated	4Ai Iluminated	4Ai Iluminated	4Ai Iluminated	Steiner Plex S1	Steiner Plex S1	Steiner Plex S1	Steiner Plex S7
ILLUMINATION CONTROL	Variable / Tilt Sensor/ Auto Off	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA			
WINDAGE/ELEVATION ADJUSTMENT KNOB	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero	Resettable Zero
WINDAGE/ELEVATION CLICK VALUE	1 cm	1 cm	1 cm	1 cm	1/4 MOA	1/4 MOA	1/4 MOA	1/4 MOA
WINDAGE RANGE @ 100 M	320 cm (32 mils)	80 cm (8 mils)	80 cm (8 mils)	80 cm (8 mils)	40 MOA	40 MOA	40 MOA	30 MOA
ELEVATION RANGE @ 100 M	320 cm (32 mils)	150 cm (15 mils)	150 cm (15 mils)	150 cm (15 mils)	70 MOA	70 MOA	70 MOA	64 MOA
PARALLAX/FOCUS	Fixed	Fixed	Fixed	Side Focus	Fixed	Fixed	Side Focus	Fixed
PARALLAX/FOCUS RANGE	328 Ft.	328 Ft.	328 Ft.	164 Ft. to Infinity	328 Ft.	328 Ft.	328 Ft.	164 Ft. to Infinity
RUBBER ARMORING	Yes	Yes	Yes	Yes	-	-	-	-
NITROGEN FILLED	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
OPERATING TEMPERATURE RANGE	-13° F to +145° F	-	-	-	-			
WATERPROOF/FOGPROOF	Submersible to 6 Ft.	Yes	Yes	Yes	Yes			
BATTERY	CR 2023	CR 2023	CR 2023	CR 2023	-	-	-	-
SPECIAL FEATURES	Diamond Night™ Lens Coating, Steiner Nano Protection®, Neoprene Cover and Spare Battery	Diamond Night™ Lens Coating, Steiner Nano Protection®, Neoprene Cover and Spare Battery	Diamond Night™ Lens Coating, Steiner Nano Protection®, Neoprene Cover and Spare Battery	Diamond Night™ Lens Coating, Steiner Nano Protection®, Neoprene Cover and Spare Battery	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

Specifications subject to change without notice.





#### PLEX RETICLE ZERO AT 100 YARDS

ZERO @ 100 YD	Hornady 223 55 gr Vmax	Hornady 22-250 50 gr V-Max	Norma 270 Win 150 gr SP	Federal 7mm Mag 175 gr Power Shok	Nosler 300 Win Mag 180 gr Accubond
CROSSHAIR	100	100	100	100	100
1ST STADIA LINE	170	200	150	150	160
2ND STADIA LINE	250	300	220	230	250
3RD STADIA LINE	330	400	300	300	330
4TH STADIA LINE	420	500	375	400	430
5th STADIA LINE	500	600	470	500	540
6th STADIA LINE	600	700	560	600	660







HD STABALIZED COMPASS

WORLDWIDE DIGITAL COMPASS

HUNTING SERIES · ·	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • •	• • • •	NATURE 8	TRAVEL	SERIES	• • • • • • • • • • • •	• • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• •


		8x42 Nighthunter XP	10x42 Nighthunter XP	8x56 Nighthunter XP	10x56 Nighthunter XP	8x56 Nighthunter Xtreme	8x30 Nighthunter LRF	8x22 Predator	10x26 Predator	8x42 Predator	10x42 Predator	8x22 Safari UltraSharp	10x26 Safari UltraSharp	8x30 Safari UltraSharp
	ITEM NUMBER	5428	5421	5568	5561	5919	5917	2441	2442	2443	2444	2210	2212	2214
OBJE	CTIVE LENS DIAMETER (MM)	42	42	56	56	56	30	22	26	42	42	22	26	30
	MAGNIFICATION	8x	10x	8x	10x	8x	8x	8x	10x	8x	10x	8x	10x	8x
	FIELD OF VIEW AT 1,000 YDS. (FT.)	367	316	367	332	336	343	332	302	381	328	377	302	362
	FOCUS SYSTEM	Fast-Close- Focus™	Fast-Close- Focus™	Fast-Close- Focus™	Fast-Close- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Fast-Close- Focus™	Fast-Close- Focus™	Fast-Close- Focus™	Fast-Close- Focus™	Fast-Close- Focus™	Fast-Close- Focus™	Sports-Auto- Focus-Plus™
	OPTICS SYSTEM	High Definition	High Definition	High Definition	High Definition	High Definition Diamond Night™ Coating	High Definition	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast CAT™ Color Adjusted Transmission Coatings	High Contrast	High Contrast	High Contrast
(	CLOSE FOCUS (FT.)	13	13	13	13	66	66	10	10	6	6	10	11	6
	EXIT PUPIL (MM)	5.25	4.2	7	5.6	7	3,75	2.75	2.6	5.25	4.2	2.75	2.6	3.75
	LUMINOSITY	27,56	17,64	49	31,66	49	14.06	7,56	6.76	27,56	17,64	7.56	6.76	14.06
-	TWILIGHT FACTOR	18.33	20.49	21.17	23.65	21.16	15.49	13.27	16.12	18.39	20.49	13.27	16.12	15.49
	COMPASS	-	-	-	-	-	•	-		-	-	-	-	-
	EYECUPS	Ergonomic	Ergonomic	Ergonomic	Ergonomic	Ergoflex	Ergoflex	Ergonomic	Ergonomic	Ergonomic	Ergonomic	Ergonomic	Ergonomic	Ergonomic
R	RUBBER ARMORING	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life				
	WATERPROOF	Submersion to 10 Ft.	Submersion to 10 Ft.	Submersion to 10 Ft.	Submersion to 10 Ft.	Submersion to 16 Ft.	Submersion to 16 Ft.	Yes	Yes	Submersion to 3 Ft.	Submersion to 3 Ft.	Yes	Yes	Yes
	WEIGHT (OZ.)	28.2	28.2	40.2	43.2	38.0	28.0	9.8	10.4	26.1	26.5	10.0	10.5	21.5
DIME	NSIONS (IN.) (HxWxD)	6.8 x 4.9 x 2.6	6.9 x 4.9 x 2.6	8.3 x 5.6 x 3.1	7.4 x 4.9 x 2.6	8.3 x 7.9 x 3.0	5.7 x 6.5 x 2.6	4.4 x 4.1 x 1.8	4.9 x 4.1 x 1.8	6.9 x 4.9 x 2.5	6.9 x 4.9 x 2.5	4.1 x 4.3 x 1.9	4.7 x 4.6 x 1.8	4.7 x 6.5 x 2.2
	NECK STRAP	Neoprene	Neoprene	Neoprene	Neoprene	Neoprene	Yes	Yes	Yes	Neoprene	Neoprene	Comfort	Comfort	Neoprene
	NECK STRAP ATTACHMENT	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®	Standard	Fixed	Fixed	ClicLoc®	ClicLoc®	fixed	fixed	ClicLoc®
(	OBJECTIVE COVER	Yes	Yes	Yes	Yes	Yes	Yes	-	-	Yes	Yes	-	-	Yes
RA	IN PROTECTION CAP	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	-	-	Yes
	CARRY CASE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	BATTERY	-	-	-	-	-	CR2	-	-	-	-	-	-	-
S	SPECIAL FEATURES	Steiner Nano Protection®	Laser Rangefinder Measuring Range: 27 to 1.860 Yd.	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	CAT™ Color Adjusted Transmission Coatings	UV coating	UV coating	UV coating				
	WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty


Specifications	cubiact to	change	without	notica


10x30 Safari	10x42 Safari	10x50 Safari	8x22 Champ	10x26 Champ	7x50 Marine	7x30 Navigator	7x30c Navigator	7x50 Navigator	7x50c Navigator	7x30 Commander	7x30c Commander	7x50 Commander	7x50c Commander	7x50 Commander
UltraSharp	UltraSharp	UltraSharp	,	,						ХР	ХР	ХР	ХР	Global
2216	2218	2220	2112	2113	575	3521	3551	3531	3541	296	396	295	395	4961
30	42	50	22	26	50	30	30	50	50	30	30	50	50	50
10x	10x	10x	8x	10x	7x	7x	7x	7x	7x	7x	7x	7x	7x	7x
317	317	302	332	302	356	370	370	370	370	392	392	392	392	392
Sports-Auto- Focus-Plus™	Fast-Close- Focus™	Fast-Close- Focus™	Fast-Close- Focus™	Fast-Close- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™
High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Definition	High Definition	High Definition	High Definition	High Definition Diamond Marine™ Coating
6	6	6	10	10	66	66	66	66	66	66	66	66	66	66
3	4.2	5	2.75	2.6	7.14	4.28	4.28	7.14	7.14	4.28	4.28	7.14	7.14	7.14
9	17.64	25	7.56	6.76	51.02	18.36	18.36	51.02	51.02	18.36	18.36	51.02	51.02	51.02
17.32	20.49	22.36	13.27	16.12	18.70	14.49	14.49	18.70	18.70	14.49	14.49	18.70	18.70	18.70
-	-	-	-	-	-	-	HD Stabilized	-	HD Stabilized	-	HD Stabilized Precision Reticle	-	HD Stabilized Precision Reticle	Worldwide Digital
Ergonomic	Ergonomic	Ergonomic	Ergonomic	Ergonomic	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Ergoflex	Ergoflex	Ergoflex	Ergoflex	Ergoflex
NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
Yes	Yes	Yes	Yes	Yes	Yes	Submersion to 6 Ft.	Submersion to 6 Ft.	Submersion to 6 Ft.	Submersion to 6 Ft.	Submersion to 33 Ft.	Submersion to 33 Ft.	Submersion to 33 Ft.	Submersion to 33 Ft.	Submersion to 33 Ft.
21.5	26.4	32.0	9.5	10.5	36.3	18.5	19.7	36.3	39.6	18.2	19.6	37.9	40.2	40.5
4.7 x 6.5 x 2.2	6.9 x 4.9 x 2.5	7.8 x 5.2 x 2.7	4.4 x 4.1 x 1.8	4.9 x 4.1 x 1.8	5.5 x 8.1 x 3.0	4.2 x 6.5 x 3.0	4.2 x 6.5 x 2.6	5.5 x 8.1 x 3.0	5.5 x 8.1 x 3.7	4.8 x 6.5 x 2.2	4.8 x 6.5 x 2.2	6.2 x 8.1 x 3.0	6.2 x 8.1 x 3.8	6.1 x 8.3 x 3.5
Neoprene	Neoprene	Neoprene	Comfort	Comfort	Comfort	Comfort	Comfort	Comfort	Comfort	Floating Strap	Floating Strap	Floating Strap	Floating Strap	Floating Strap
ClicLoc®	ClicLoc®	ClicLoc®	fixed	fixed	Standard	Standard	Standard	Standard	Standard	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®	ClicLoc®
Yes	Yes	Yes	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	-	-	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
-	-	-	-	-	-	-	CR 1225	-	350 5V	-	CR 1225	-	350 5v	350 5v
UV coating	UV coating	UV coating	-	-	-	-	-	-	-	Steiner Nano Protection®	Steiner Nano Protection®	Steiner Nano Protection®	Steiner Nano Protection®	Steiner Nano Protection®
Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

Military/Government contracts may specify warranty policies that are different from the Steiner Heritage™ Warranty and supersede them.

	M5Xi Military 1-5x24 (Rapid Dot 5.56)	M5Xi Military 1-5x24 (Rapid Dot 7.62)	M5Xi Military 3-15x50 (G2B Mil-Dot)	M5Xi Military 3-15x50 (MSR)	M5Xi Military 5-25x56 (G2B Mil-Dot)	M5Xi Military 5-25x56 (MSR)
ITEM NUMBER	5571	5570	5572	5573	5525	5550
MAGNIFICATION	1-5x	1-5x	3-15x	3-15x	5-25x	5-25x
OBJECTIVE LENS DIAMETER	24 mm	24 mm	50 mm	50 mm	56 mm	56 mm
TUBE DIAMETER	30 mm	30 mm	34 mm	34 mm	34 mm	34 mm
FOCAL PLANE	2nd	2nd	1st	1st	1st	1st
FIELD OF VIEW @ 100 YDS. (FT.) LOW/HIGH	118.1 - 23.7	118.1 - 23.7	39.7 - 7.9	39.7 - 7.9	23.6 - 4.6	23.6 - 4.6
EYE RELIEF (MM) LOW/HIGH	90	90	90	90	90	90
EXIT PUPIL (MM) LOW/HIGH	11.5-7.2	11.5-7.2	10.4-3.33	10.4-3.33	9.8-2.24	9.8-2.24
LENGTH (IN)	11.6	11.6	14.2	14.2	16.6	16.6
WEIGHT (OZ.)	21.2	21.2	32.5	32.5	36.3	36.3
DIOPTER ADJUSTMENT RANGE	+2 to -3					
RETICLE	Rapid Dot 5.56	Rapid Dot 7.62	G2B Mil-Dot	MSR	G2B Mil-Dot	MSR
ILLUMINATION CONTROL	Rotary Digital Control with Intermediate Stops					
WINDAGE/ELEVATION ADJUSTMENT KNOB	Resettable Zero	Resettable Zero	DuoScale™ / Resettable Zero	DuoScale™ / Resettable Zero	DuoScale™ / Resettable Zero	DuoScale™ / Resettable Zero
WINDAGE/ELEVATION CLICK Value	1 cm (0.1 mrad)					
WINDAGE RANGE @ 100 M	90 cm (9 mils)	90 cm (9 mils)	260 cm (26 mils)	260 cm (26 mils)	260 cm (26 mils)	260 cm (26 mils)
ELEVATION RANGE @ 100 M	+/1- 160 cm	+/1- 160 cm	+/- 60 cm (6 mils)			
PARALLAX/FOCUS	Fixed	Fixed	Side Focus	Side Focus	Side Focus	Side Focus
PARALLAX/FOCUS RANGE	328 Ft.	328 Ft.	164 Ft. to Infinity			
RUBBER ARMORING	Yes	Yes	Yes	Yes	Yes	Yes
NITROGEN FILLED	Yes	Yes	Yes	Yes	Yes	Yes
OPERATING TEMPERATURE RANGE	-13° F to +145° F					
LENS CAPS	Yes	Yes	Yes	Yes	Yes	Yes
WATERPROOF/FOGPROOF	Submersible to 33 Ft.					
BATTERY	CR2450	CR2450	CR2450	CR2450	CR2450	CR2450
SPECIAL FEATURES	Adjustment Knobs 100% Sealed					
WARRANTY	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty







# MSR RETICLE RETICLE SUBTENSIONS

UNIT	mRad	cm/100m	in/100yd
А	10	100	56
В	5.0	50	18
С	2.0	20	7.2
D	4.0	40	14.4
E	1.0	10	3.6
F	10	100	36
G	5.0	50	18
Н	1.0	10	3.6
K	0.4	4	1.44
L	0.1	1.0	0.36
М	0.2	2.0	0.72
N	0.05	0.5	0.23
Р	0.15	1.5	0.54
R	0.6	6.0	2.16
S	0.5	5.0	1.8
T	1.5	15	5.4

# MIL-DOT RETICLE RETICLE SUBTENSIONS

UNIT	mRad	cm/100m	in/100yd
A	10	100	36
В	0.5	5.0	1.8
С	0.5	5.0	1.8
D	0.2	2.0	0.72
E	0.06	0.6	0.22
F	0.5	5.0	1.8
G	1.0	10	3.6
Н	0.06	0.6	0.22
J	0.06	0.6	0.22
K	5.0	50	1.8
L	2.0	20	7.2


# RAPID DOT 5.56, 7.62 RETICLE RETICLE SUBTENSIONS

UNIT	mRad	cm/100m	in/100yd
А	10	100	36
В	0.4	4.0	1.4
С	1.0	10	3.6
D	0.13	1.3	0.47

Specifications subject to change without notice.



SUMR RETICLE



STEINER ANTI-REFLECTIVE DEVICES (ARDs)

The Steiner ARDs fit Steiner Military R or Military/Marine binoculars with 30mm and 50mm objective lenses. The ARDs reduce up to 100% of reflection or "glint" with their honeycomb pattern. Shielding against glint or reflection is vitally important during covert operations.

7X50/15X80 COMMANDER

8X30/7X50 MILITARY R

TACTICAL SERIES ······

ммзо MM50 T42r Tactical 8x24 Tactical 8x24 Tactical 10x42 Tactical 10x42 R Police 10x50 litary/Mari 8x30 ilitary/Marir 10x50 Military 8x30 ITEM NUMBER 6502 6504 6506 6508 646 648 280 210

**OBJECTIVE LENS** 24 28 42 42 50 50 30 50 30 DIAMETER (MM) MAGNIFICATION 8x 10x 10x 10x 10x 8x 10x 7x 8x FIELD OF VIEW AT 344 266 317 317 355 301 362 302 392 1,000 YDS. (FT.)

Fast-Close-Fast-Close-Fast-Close Fast-Close-Sports-Auto-Sports-Auto-Sports-Auto-Sports-Auto-Sports-Auto-FOCUS SYSTEM Focus™ Focus™ High Definition **High Definition High Definition** High Definition OPTICS SYSTEM Tactical Optic Tactical Optic Tactical Optic Tactical Optic Contrast Contrast Contrast Contrast Contrast 66 CLOSE FOCUS (FT.) 6 6 66 66 66 66 EXIT PUPIL (MM) 2.8 4.2 4.2 7.14 5.00 3.8 3.75

LUMINOSITY 6.76 7.11 17.64 17.64 51 25 14.06 25 14 TWILIGHT FACTOR 16.12 17.14 20.49 18.7 22.4 22.36 15.5 20.49 15.49 (MM) COMPASS EYECUPS Ergonomic Ergonomic Ergonomic Ergonomic Cylindrical Cylindrical Cylindrical Cylindrical Cylindrical NBR Long Life RUBBER ARMORING NBR Long Life Yes Yes NBR Long Life Submersion Submersion Submersion Submersion Submersion WATERPROOF Yes Yes to 16 Ft. to 6 Ft. to 6 Ft. to 6 Ft. to 6 Ft.

12.6 12.7 26.4 26.7 36.5 36.5 17.1 35.3 18.7 DIMENSIONS (IN.) 4.8 x 4.2 x 1.9 5.1 x 4.6 x 1.9 6.6 x 4.9 x 2.5 6.6 x 4.9 x 2.5 5.5 x 8.2 x 2.8 4.9 x 8.2 x 3.0 4.2 x 6.7 x 2.2 5.0 x 8.1 x 3.0 4.2 x 6.7 x 2.2 (HxWxD) Comfort **NECK STRAP** Neoprene Neoprene Neoprene Neoprene Yes Yes Comfort Yes **NECK STRAP** ClicLoc® ClicLoc® ClicLoc® ClicLoc® Standard Standard Standard Standard Standard ATTACHMENT **OBJECTIVE COVER** Yes Yes Yes Yes Yes Yes Yes Yes Yes RAIN PROTECTION Yes Yes Yes Yes Yes Yes Yes Yes Yes

CARRY CASE Yes Gear Bag Gear Bag Gear Bag Gear Bag Yes Yes Yes SUMR Military SPECIAL FEATURES Milliradian Specifications ranging reticle

Heritage™

Warranty

Heritage™

Warranty

Heritage™

Warranty

Heritage™

Warranty

Heritage™

Warranty

Heritage™

Warranty

Military/Government contracts may specify warranty policies that are different from the Steiner Heritage™ Warranty and supersede them.

Heritage™

Warranty

Heritage™

Warranty

Heritage™

Warranty

M30r Military 8x30r	M50r Military 7x50r	M50c Commander Military 7x50c	M50r Military 10x50r	M80 Military 15x80	M80c Commander Military 15x80c	M80 Military 20x80	M50 LRF Military 10x50 LRF	M30r Military 8x30r LRF	M50rc LPF Commander Military 7x50c LPF
481	538	383	536	415	416	420	398	5915	539
30	50	50	50	80	80	80	50	30	50
8x	7x	7x	10x	15x	15x	20x	10x	8x	7x
392	392	392	392	195	301	195	144	319	392
Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™	Sports-Auto- Focus™
High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast	High Contrast
66	66	66	66	197	197	197	66	66	66
3.75	7.14	7.14	5.00	5.33	5.33	4.00	5.00	3.75	7.14
14	51	51	25	28	28	16	25	14	51
15.5	18.7	18.7	22.4	34.6	34.6	40.0	22.4	15.5	18.7
-	-	HD Stabilized Compass	HD Stabilized Compass	-	HD Stabilized Compass	-	-	-	-
Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical	Cylindrical
NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life	NBR Long Life
Submersion to 16 Ft.	Submersion to 16 Ft.	Submersion to 16 Ft.	Submersion to 16 Ft.	Submersion to 16 Ft.	Submersion to 16 Ft.	Submersion to 16 Ft.	Submersion to 16 Ft.	Submersion to 16 Ft.	Submersion to 16 Ft.
18.7	36.9	39.7	35.3	68.1	69.3	68.1	44.8	26.5	36.9
4.2 x 6.7 x 2.2	5.5 x 8.1 x 3.0	5.5 x 8.1 x 3.7	5.0 x 8.1 x 3.0	11.6 x 8.9 x 3.8	11.6 x 8.9 x 4.1	11.6 x 8.9 x 3.8	5.4 x 8.1 x 3.9	4.5 x 6.7 x 2.8	5.5 x 8.1 x 3.0
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
-	-	-	-	-	-	-	-	-	-
-	-	-	1.5 V 350	-	1.5 V 350	-	CR 123A	CR 2	-
Mil Ranging Reticle, Military Specifications	Mil Ranging Reticle, Military Specifications	HD Stabilized Compass, Mil Ranging Reticle, Military Specifications	SUMR Milliradian Ranging Reticle, Military Specifications	Tripod Mount, Military Specifications	Tripod mount, HD Stabalized Compass, Mil Ranging Reticle, Military Specifications	Tripod Mount, Military Specifications	Tripod Mount, Mil Ranging Reticle, Military Specifications Laser Rangefinder Measuring Range: 27 to 1,860 Yds.	Tripod Mount, Mil Ranging Reticle, Military Specifications Laser Rangefinder Measuring Range: 27 to 1,860 Yds.	Mil Ranging Reticle, Laser Protection Filter, Military Specifications
Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty	Heritage™ Warranty

Specifications subject to change without notice.

WARRANTY

## STEINER ACCESSORIES



# RAIN-GUARD & OBJECTIVE CAPS

NBR rubber covers are easy to attach, adjust to stay put, and protect ocular and objective lenses from rain, snow, dust and abrasion.



## **GLOBAL COMMANDER DELUXE CASE**

Standard with the Global Commander, this durable, padded thermo-molded case is also available separately. Securely protect any 7x50 marine binocular with or without a compass.



#### CLICLOC® NEOPRENE STRAP

Super cushioned neoprene neck strap makes lightweight binoculars feel even lighter. Clic-Loc buckle system for instant removal.



### **FLOATING STRAP**

Padded in a visible yellow, long-lasting waterproof jacket, the Steiner marine binocular Float Strap adapts to all 7x50 binoculars and many others.

ITEM NO. 768 - For all loop fastening models ITEM NO. 769 - For all Commander models



#### **80MM TACTICAL GEAR BAG**

Heavy-duty ballistic nylon with durable buckle closing system. Includes quickrelease buckled shoulder strap, lined interior compartment, interior accessory pocket. Fits all Steiner 80mm binoculars. **ITEM NO.** 978



#### PREMIUM PADDED CASES

**SMALL** Padded black ballistic nylon holds all 8x30 models. Also holds older 7x35 and 6x30 Steiner binoculars. ITEM NO. 605

LARGE Holds 10x50 and 7x50 short barrel models like Military/Marine, Police, Marine, Commander, and Tactical series. Also holds Commander models with compass. **ITEM NO.** 606



#### CLICLOC® BODY HARNESS SYSTEM

Permits hands-free binocular carry. Raise the binocular to your eyes for quick viewing, return it to chest when done. Binocular is securely attached to the adjustable harness, removable quick-release buckles. Black.

ITEM NO. 986 - fits all models, except compacts.

#### 50/56 PADDED CASES

For porro models with long barrel 50/56mm objective lenses ITEM NO. 609 - Black

#### **40 SOFT CASE**

Protective soft case for long barrel models with 40mm objective lenses. (12x40, 9x40, 10x40 porro models) ITEM NO. 610 - Black

# STEINER HERITAGE™ WARRANTY.

WITH EVERY STEINER OPTICAL PRODUCT COMES A LIFELONG RELATIONSHIP, WITH YOU AND YOURS. IT IS BASED ON THIS SOLEMN PROMISE: WHEN YOU PASS YOUR STEINER OPTIC ON TO YOUR CHILDREN. AND THEY ON TO THEIR CHILDREN, YOU PASS ON A LIFELONG RELATIONSHIP WITH STEINER TOO.



WE ARE COMMITTED TO BUILDING OPTICS THAT NEVER NEED SERVICE. HOWEVER, SHOULD ONE BECOME DAMAGED OR DEFECTIVE, FOR ANY REASON OTHER THAN THEFT OR DELIBERATE MISUSE, WE WILL REPAIR OR REPLACE IT AT NO CHARGE - NO QUESTIONS ASKED. THAT'S OUR PROMISE TO NOT ONLY YOU, BUT TO ALL THOSE WHO WILL OWN YOUR STEINER OPTIC AFTER YOU.

- WE WILL REPAIR OR REPLACE YOUR STEINER OPTIC SHOULD IT BECOME DAMAGED OR DEFECTIVE-AT NO CHARGE TO YOU.
- NO WARRANTY CARD NEEDED
- NO RECEIPT REQUIRED
- FULLY TRANSFERABLE FROM GENERATION TO GENERATION

"LIFETIME" OPTICS WARRANTIES ARE COMMON THESE DAYS. THAT'S WHY STEINER PRODUCTS ARE BUILT TO LAST MANY LIFETIMES. THEY HAVE TO, SO WE BUILD THEM THAT WAY. ANY WARRANTY SERVICE IS A HASSLE. IT MEANS PRECIOUS TIME LOST NOT PURSUING YOUR MISSION OR YOUR OUTDOOR PASSION. THAT'S WHY THE STEINER HERITAGE™ WARRANTY PROMISES MORE THAN HASSLE-FREE SERVICE. IT STANDS FOR NOT NEEDING SERVICE IN THE FIRST PLACE.

WE BUILD TRUSTED OPTICS FOR LIFE'S DEFINING MOMENTS. PURSUIT OF THESE MOMENTS DEMANDS QUICK DETECTION, LOCATION AND IDENTIFICATION OF YOUR OBJECTIVE THROUGH YOUR MOST IMPORTANT SENSE, VISION. BE IT IN PURSUIT OF WILD LIFE, A MARINE BEARING, LAW ENFORCEMENT SUSPECT OR MILITARY COMBATANT, OUR COMMITMENT TO QUALITY AND THE STEINER HERITAGE™ WARRANTY IS OUR PROMISE THAT NOTHING ESCAPES YOU™.

PERFORMANCE YOU CAN PASS DOWN.

Limited Warranty Conditions for Electronic Components Electronic components are warranted against defects in workmanship or materials for a period of 7 years from the original date of purchase

**CUSTOMER SERVICE** 

Your Steiner optics are backed by a commitment to optimum performance and your complete satisfaction - today, every day, for generations to come. Any questions or concerns will be quickly addressed by experts at our national headquarters in Greeley, Colorado. Just call us at 970-356-1670 (888-228-7747 toll-free) Monday through Friday from 8:00 AM to 5:00 PM CST. Or, email us at info@steiner-optic.com. To post ideas, comments or suggestions, go to our Facebook or Twitter page. We always welcome your input.

