




Article list 2011 - Europe

EFOY Consumer Products












- EFOY Comfort Series
- EFOY 600 / 900 / 1200 / 1600 / 2200

Valid from: 26.05.2011
Subject to modifications and errors.

EFOY COMFORT Sets

	Article	Article information	Article no.
	EFOY COMFORT 80 SET	Max. Charge capacity: 960 Wh/day ; 80 Ah/day Dimensions (L x W x H): 44,3 x 20,2 x 28,8 cm Fuel cartridge compatibility: M5, M10 Automatic battery charger for 12 V batteries (lead-acid, lead-gel and AGM batteries) <u>Includes EFOY COMFORT equipment-set</u> <u>Warranty*</u> : 24 Month	151 000 200
	EFOY COMFORT 140 SET	Max. Charge capacity: 1728 Wh/day ; 144 Ah/day Details: see EFOY COMFORT 80 SET <u>Includes EFOY COMFORT equipment-set</u> <u>Warranty*</u> : 24 Month	151 000 201
	EFOY COMFORT 210 SET	Max. Charge capacity: 2520 Wh/day ; 210 Ah/day Details: see EFOY COMFORT 80 SET <u>Includes EFOY COMFORT equipment-set</u> <u>Warranty*</u> : 60 Month	151 000 202



EFOY COMFORT equipment-set content:

					
Operating panel White with surface mount and data line DL2	Mounting plate	Fuel cartridge holder	Mounting belt	Belt for fuel cartridge holder	Service Fluid
					
Off heat tube	Off-heat bow, External face plate, Off-heat flange, Screw set	Charge line CL4	Insulated exhaust hose	User manual	













* Warranty conditions for EFOY COMFORT fuel cell for leisure use apply

The limited warranty only becomes effective once the product has been registered by the retail customer with SFC. To register, contact the EFOY customer service or go to www.efoy.com.


EFOY-Fuel cartridges

	Article	Article information	Article no.
	Fuel cartridge M5	Content: 5 liter (Capacity: 5,5 kWh). Dimensions (L x W x H): 19,0 x 14,5 x 28,3 cm Packaging unit: 2 cartridges	150 905 006
	Fuel cartridge M10	Content: 10 litre (Capacity: 11,1 kWh). Dimensions (L x W x H): 23,0 x 19,3 x 31,8 cm Packaging unit: 2 cartridges	150 905 008






Original EFOY- Accessories

	Article	Article information	EFOY COMFORT	EFOY**	Article no.
	Operating panel EFOY COMFORT White with data line	The EFOY COMFORT operating panel <u>Article includes:</u> - White frame - Surface mount - Data line DL2 (10 meters) - Template for drilling	x		151 077 053
	Frame White for operating panel EFOY COMFORT	White frame for the operating panel EFOY COMFORT.	x		151 077 045
	Frame Black for operating panel EFOY COMFORT	Black frame for the operating panel EFOY COMFORT.	x		151 077 051
	Surface mount operating panel EFOY COMFORT	White surface mount for the operating panel EFOY COMFORT. <u>Article includes:</u> - Mounting screws for the surface mount	x		151 077 054
	Data line DL2	Data line DL2 for the operating panel EFOY COMFORT and the remote control RC1.	x	x	151 075 033
	Mounting plate EFOY COMFORT	Mounting plate for the EFOY COMFORT.	x		151 908 020
	Mounting belt EFOY COMFORT	Belt for mounting the EFOY COMFORT onto the mounting plate.	x		151 908 022
	Fuel cartridge holder	Fuel cartridge holder for M5 and M10 fuel cartridges.	x	x	151 905 021
	Belt for fuel cartridge holder	Belt for the fuel cartridge holder. Also applicable as EFOY** mounting belt.	x	x	151 908 003
	Off-heat duct EFOY Comfort	<u>Article includes:</u> - Off-heat tube - Off-heat flange EFOY COMFORT - External face plate - Off-heat bow - Screw set EFOY COMFORT	x		151 903 027
	Off-heat flange EFOY COMFORT	<u>Article includes:</u> - Screw set EFOY COMFORT	x		151 903 023
	Off-heat bow EFOY COMFORT	<u>Article includes:</u> - Screw set EFOY COMFORT	x		151 903 014

**The EFOY Series includes following products: EFOY 600 / 900 / 1200 / 1600 / 2200

	Article	Article information	EFOY COMFORT	EFOY**	Article no.
	Off-heat tube	Length: 51 to 125 cm; Diameter: 10 cm	x	x	151 904 001
	External face plate		x	x	151 903 013
	Insulated exhaust hose	Length: 1,2 m	x	x	151 904 003
	Charge line CL4	Charge line CL4 is used to connect the EFOY COMFORT or EFOY** to the battery. <u>Article includes:</u> <ul style="list-style-type: none"> • Connecting line to fuel cell (1 m) • Battery fuse line "Sense" 2A • Battery fuse line "Power" 15A 	x	x	151 906 034
	Connecting line to fuel cell	Connecting line from fuel cell to fuse lines; Length: 1 meter	x	x	151 906 004
	Battery fuse line Sense 2A	Cable including 2 Ampere fuse. Length: 50 cm	x	x	151 906 007
	Battery fuse line Power 15A	Cable including 15 Ampere fuse; Length: 50 cm	x	x	151 906 024
	Extension line Power	Extension cable for "Power" line; Length: 8 m	x	x	151 906 006
	Extension line Sense	Extension cable for "Sense" line; Length: 8 m	x	x	151 906 005
	Service Fluid		x	x	150 903 001
	Complete shipping box (All-in-box)	Dimensions (L x W x H): 55 x 33 x 55 cm	x	x	151 902 018
	Remote control RC1 with data line	Remote control for EFOY** fuel cells <u>Article includes:</u> <ul style="list-style-type: none"> - Frame for RC1 - Surface mount for RC1 - Data line DL2 (10 meters) - Template for drilling for RC1 		x	151 077 003

**The EFOY Series includes following products: EFOY 600 / 900 / 1200 / 1600 / 2200

	Article	Article information	EFOY COMFORT	EFOY**	Article no.
	Frame for remote control RC1	Frame for the remote control RC1		x	151 077 037
	Surface mount for remote control RC1	Surface mount for the remote control RC1 <u>Article includes:</u> - Mounting screws for surface mount		x	151 077 020
	Mounting plate with belt	Mounting plate with belt for EFOY** fuel cells		x	151 908 001
	Off-heat duct	<u>Article includes:</u> - Off-heat tube - Off-heat flange - External face plate - Off-heat bow - Screw set EFOY**		x	151 903 001
	Off-heat bow EFOY	<u>Article includes:</u> - Screw set EFOY**		x	151 903 022

**The EFOY Series includes following products: EFOY 600 / 900 / 1200 / 1600 / 2200